



DEPARTMENT OF THE ARMY
CORPS OF ENGINEERS LOS ANGELES DISTRICT
Regulatory Division, Carlsbad Field Office
6010 Hidden Valley Road, Suite 105
Carlsbad, California 92011

June 26, 2012

REPLY TO
ATTENTION OF:

Office of the Chief
Regulatory Division

Mr. Thomas Duffy
County of San Diego
Department of Public Works
5469 Kearny Villa Road, Suite 305
San Diego, California 92123

Dear Mr. Duffy:

This is in reply to your application (File No. SPL-2012-00267-MBS) dated June 15, 2012, for a Department of the Army Permit to discharge fill material into waters of the U.S., in association with the County of San Diego Annual Regional General Permit (RGP) 53 2012-2013 Maintenance Year. The proposed work would take place in 285 stream channels, located throughout the County of San Diego, California (Figure 1).

Based on the information you have provided, the Corps of Engineers has determined that your proposed activity complies with the terms and conditions of RGP 53-County of San Diego Routine Flood Control Maintenance.

As long as you comply with the general permit conditions of RGP 53, an individual permit is not required.

Specifically, you are authorized to conduct the following regulated activities:


1. Conduct annual stream channel sediment, vegetation, and debris removal activities at 285 locations as identified in the attached figure (Figure 1); and
2. Permanently impact 0.69 acre and temporarily impact 3.6 acres of waters of the U.S.

A general permit does not grant any property rights or exclusive privileges. Also, it does not authorize any injury to the property or rights of others or authorize interference with any existing or proposed Federal project. Furthermore, it does not obviate the need to obtain other Federal, State, or local authorizations required by law.

Thank you for participating in our regulatory program. If you have any questions, please contact Meris Bantilan-Smith at 760-602-4836 or via e-mail at Meris.Bantilan-Smith@usace.army.mil.

Please be advised that you can now comment on your experience with Regulatory Division by accessing the Corps web-based customer survey form at:
<http://per2.nwp.usace.army.mil/survey.html>.


Sincerely,

A handwritten signature in black ink, reading "Therese O. Bradford". The signature is fluid and cursive, with the first name "Therese" being the most prominent part.

Therese O. Bradford
Chief, South Coast Branch

Enclosure

RGP53 2012-13 Proposed Maintenance Facilities



THIS WARRANTY IS PROVIDED WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Note that this particular warranty does not constitute a particular additional limitation on any other warranty that could be provided with the written permission of SAMMBA. The purchaser must obtain information regarding the use of the product from the relevant manufacturer. SAMMBA does not make any representation or warranty, whether for personal use or resale, without the written permission of SAMMBA, a NALTE Company.

©2009 by SAMMBA, a NALTE Company. All Rights Reserved. E-Printed in the legal notice can be found under <http://www.sammba.com/usa/legals/notice.htm>

URGENT: 267-740-6142 6/14/2012