

TABLE ES-3

Analytical Results for Oxidizers (including Perchlorate), Organics, Nitroaromatics and Nitroamines, and Nitrosamines

Parameter	Regulatory Action Levels						Parameter Detection Frequency	Analytical Results								
	CA Primary MCL	USEPA Primary MCL	CA Secondary MCL	USEPA Secondary MCL	CA OEHHA PHG	CA DHS AL		MP-3_04 02/06/2003 Primary Sample	MP-3_04 07/09/2003 Primary Sample	MP-3_04 07/09/2003 USACE QA Sample	MP-3_04 01/14/2004 Primary Sample	MP-3_04 04/20/2004 Primary Sample	MP-4_01 02/05/2003 Primary Sample	MP-4_01 02/05/2003 USACE QA Sample	MP-4_01 07/09/2003 Primary Sample	
<b>Oxidizers</b>																
Chlorate					800	7 / 48	0.1 U	NT	NT	NT	NT	0.1 U	NT	NT	NT	
Perchlorate					6	6	111 / 149	18.5	3 U	4 U	29	3 U	3.5	2 U	3 U	
<b>Volatile Organic Compounds</b>																
Benzene	1	5			0.15		4 / 140	0.5 U	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U	
Bromoform							5 / 140	26.7	1 U	NT	1 U	1 U	1 U	NT	1 U	
Bromochloromethane																
Bromodichloromethane	100 <sup>(1)</sup>	80 <sup>(2)</sup>					2 / 140	0.5 U	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U	
Carbon disulfide							160	16 / 140	0.5 U	0.71	NT	0.44 J	0.43 J	0.5 U	0.5 U	
Carbon Tetrachloride	0.5	5			0.1			8 / 140	0.5 U	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U
Chloroform	100 <sup>(1)</sup>	80 <sup>(2)</sup>						20 / 140	0.5 U	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U
Dibromochloromethane	100 <sup>(1)</sup>	80 <sup>(2)</sup>						2 / 140	0.5 U	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U
1,1-Dichloroethene	6	7			10			20 / 140	0.5 U	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U
1,2-Dichloroethene, cis-	6	70						14 / 140	0.5 U	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U
1,2-Dichloroethene, trans-	10	100						3 / 140	0.39 J	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U
1,4-Dioxane						3		4 / 48	1 U	NT	NT	NT	NT	1 U	NT	NT
Ethylbenzene	300	700			300			4 / 140	0.5 U	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U
Methyl Tert-Butyl Ether (MTBE)	13		5		13			3 / 140	0.5 U	0.27 J	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U
Methylene Chloride	5	5			4			14 / 140	30000	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U
Styrene	0.1	0.1						2 / 140	0.5 U	0.5 U	NT	0.5 U	0.33 J	0.5 U	NT	0.5 U
Tetrachloroethene (PCE)	5	5			0.06			37 / 140	0.5 U	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U
Toluene	150	1,000			150			21 / 140	0.27 J	0.5 U	NT	0.5 U	0.5 U	0.80	NT	0.5 U
1,1,1-Trichloroethane	200	200						7 / 140	0.5 U	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U
1,1,2-Trichloroethane	5	5						4 / 140	0.5 U	0.5 U	NT	0.5 U	0.5 U	0.5 U	NT	0.5 U
Trichloroethene (TCE)	5	5			0.8			47 / 140	0.5 U	0.5 U	NT	0.34 J	0.5 U	0.5 U	NT	0.5 U
1,2,3-Trichloropropane						0.005		2 / 140	0.02 U	0.5 U	NT	0.5 U	0.5 U	0.02 U	NT	0.5 U
1,2,4-Trimethylbenzene								330	5 / 140	0.5 U	0.5 U	NT	0.5 U	0.5 U	NT	0.5 U
Xylenes, Total	1,750	10,000			1,800			3 / 140	1 U	1 U	NT	1 U	1 U	1 U	1 U	1 U
<b>Semivolatile Organic Compounds</b>																
Bis(2-ethylhexyl)phthalate	4	6			12			1 / 48	10 U	NT	NT	NT	NT	10 U	NT	NT
<b>Nitroaromatics and Nitroamines</b>																
1,3-Dinitrobenzene								1 / 48	1.0 U	NT	NT	NT	NT	1.0 U	NT	NT
<b>Nitrosamines</b>																
n-Nitrosodimethylamine (NDMA)						0.01		9 / 48	0.002 U	NT	NT	NT	NT	0.002 U	NT	NT
n-Nitrosodiphenylamine								42 / 48	0.0576	NT	NT	NT	NT	1.05	NT	NT

## NOTES:

Units in micrograms per liter ( $\mu\text{g/L}$ ), unless otherwise noted.

Analytes listed in this table have one or more samples with concentrations reported above their quantitation limits.

AL = Action Level (for toxicity)

OEHHA = Office of Environmental Health Hazard Assessment

CA = California

PHG = Public Health Goal (for Drinking Water)

DHS = Department of Health Services

QA = Quality Assurance

MCL = Maximum Contaminant Level

USACE = U.S. Army Corps of Engineers

NT = Not tested

USEPA = U.S. Environmental Protection Agency

(1) CA Primary MCL for total trihalomethanes

(bromodichloromethane, bromoform, dibromochloromethane, and chloroform).

(2) USEPA Primary MCL for total trihalomethanes

(bromodichloromethane, bromoform, dibromochloromethane, and chloroform).

## Data Qualifiers:

J = Analyte positively identified; the reported concentration is approximate.

R = Rejected due to deficiencies in the ability to analyze the sample and/or meet quality control criteria.

U = Analyte not detected above quantitation limit.

UU = Analyte not detected above the quantitation limit, but the reported quantitation limit is approximate.

TABLE ES-3

Analytical Results for Oxidizers (including Perchlorate), Organics, Nitroaromatics and Nitroamines, and Nitrosamines

Parameter	Regulatory Action Levels						Parameter Detection Frequency	Analytical Results							
	CA Primary MCL	USEPA Primary MCL	CA Secondary MCL	USEPA Secondary MCL	CA OEHHA PHG	CA DHS AL		MP-4_01 07/09/2003 Field Duplicate	MP-4_01 01/15/2004 Primary Sample	MP-4_02 02/03/2003 Primary Sample	MP-4_02 07/09/2003 Primary Sample	MP-4_02 01/15/2004 Primary Sample	MP-4_03 02/03/2003 Primary Sample	MP-4_03 07/09/2003 Primary Sample	MP-4_04 02/03/2003 Primary Sample
<b>Oxidizers</b>															
Chlorate						800	7 / 48	NT	NT	0.1 U	NT	NT	0.1 U	NT	0.1 U
Perchlorate					6	6	111 / 149	3 U	3 U	3 U	3 U	0.78 U	3 U	3 U	3 U
<b>Volatile Organic Compounds</b>															
Benzene	1	5			0.15		4 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform							5 / 140	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromochloromethane							2 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	100 <sup>(1)</sup>	80 <sup>(2)</sup>					160	16 / 140	0.5 U						
Carbon disulfide															
Carbon Tetrachloride	0.5	5			0.1		8 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	100 <sup>(1)</sup>	80 <sup>(2)</sup>					20 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	100 <sup>(1)</sup>	80 <sup>(2)</sup>					2 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	6	7			10		20 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene, cis-	6	70					14 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene, trans-	10	100					3 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dioxane						3	4 / 48	NT	NT	1 U	NT	NT	1 U	NT	1 U
Ethylbenzene	300	700			300		4 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl Tert-Butyl Ether (MTBE)	13		5		13		3 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methylene Chloride	5	5			4		14 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	0.1	0.1					2 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tetrachloroethene (PCE)	5	5			0.06		37 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	150	1,000			150		21 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	200	200					7 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	5	5					4 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	5	5			0.8		47 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichloropropane							0.005	2 / 140	0.5 U	0.5 U	0.02 U	0.5 U	0.5 U	0.02 U	0.5 U
1,2,4-Trimethylbenzene							330	5 / 140	0.5 U						
Xylenes, Total	1,750	10,000			1,800		3 / 140	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
<b>Semivolatile Organic Compounds</b>															
Bis(2-ethylhexyl)phthalate	4	6			12		1 / 48	NT	NT	10 U	NT	NT	10 U	NT	10 U
<b>Nitroaromatics and Nitroamines</b>															
1,3-Dinitrobenzene							1 / 48	NT	NT	1.0 U	NT	NT	1.0 U	NT	1.0 U
<b>Nitrosamines</b>															
n-Nitrosodimethylamine (NDMA)						0.01	9 / 48	NT	NT	0.002 U	NT	NT	0.002 U	NT	0.002 U
n-Nitrosodiphenylamine							42 / 48	NT	NT	0.00366 J	NT	NT	0.0496	NT	0.00369 J

## NOTES:

Units in micrograms per liter ( $\mu\text{g/L}$ ), unless otherwise noted.

Analytes listed in this table have one or more samples with concentrations reported above their quantitation limits.

AL = Action Level (for toxicity)

OEHHA = Office of Environmental Health Hazard Assessment

CA = California

PHG = Public Health Goal (for Drinking Water)

DHS = Department of Health Services

QA = Quality Assurance

MCL = Maximum Contaminant Level

USACE = U.S. Army Corps of Engineers

NT = Not tested

USEPA = U.S. Environmental Protection Agency

(1) CA Primary MCL for total trihalomethanes

(bromodichloromethane, bromoform, dibromoform, and chloroform).

(2) USEPA Primary MCL for total trihalomethanes

(bromodichloromethane, bromoform, dibromoform, and chloroform).

## Data Qualifiers:

J = Analyte positively identified; the reported concentration is approximate.

R = Rejected due to deficiencies in the ability to analyze the sample and/or meet quality control criteria.

U = Analyte not detected above quantitation limit.

UU = Analyte not detected above the quantitation limit, but the reported quantitation limit is approximate.

TABLE ES-3

Analytical Results for Oxidizers (including Perchlorate), Organics, Nitroaromatics and Nitroamines, and Nitrosamines

Parameter	Regulatory Action Levels						Parameter Detection Frequency	Analytical Results							
	CA Primary MCL	USEPA Primary MCL	CA Secondary MCL	USEPA Secondary MCL	CA OEHHA PHG	CA DHS AL		MP-4_04 07/09/2003 Primary Sample	MP-4_05 02/03/2003 Primary Sample	MP-4_05 07/09/2003 Primary Sample	MP-5_01 10/02/2003 Primary Sample	MP-5_01 01/16/2004 Primary Sample	MP-5_01 04/22/2004 Primary Sample	MP-5_01 04/22/2004 Field Duplicate	MP-5_02 10/02/2003 Primary Sample
<b>Oxidizers</b>															
Chlorate						800	7 / 48	NT	0.1 U	NT	0.079 J	NT	NT	NT	0.1 U
Perchlorate					6	6	111 / 149	3 U	3 U	3 U	4.7	4.9	4.2	4.2	2.6 J
<b>Volatile Organic Compounds</b>															
Benzene	1	5			0.15		4 / 140	0.5 U	0.5 U						
Bromochloromethane							5 / 140	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	100 <sup>(1)</sup>	80 <sup>(2)</sup>					2 / 140	0.5 U	0.5 U						
Carbon disulfide							160	16 / 140	0.5 U	0.5 U	0.27 J	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5	5			0.1		8 / 140	0.5 U	0.5 U						
Chloroform	100 <sup>(1)</sup>	80 <sup>(2)</sup>					20 / 140	0.5 U	0.5 U	0.5 U	0.49 J U	0.52	0.44 J U	0.44 J U	1.3 U
Dibromochloromethane	100 <sup>(1)</sup>	80 <sup>(2)</sup>					2 / 140	0.5 U	0.5 U						
1,1-Dichloroethene	6	7			10		20 / 140	0.5 U	0.5 U						
1,2-Dichloroethene, cis-	6	70					14 / 140	0.5 U	0.5 U						
1,2-Dichloroethene, trans-	10	100					3 / 140	0.5 U	0.5 U						
1,4-Dioxane						3	4 / 48	NT	1 U	NT	1 U	NT	NT	NT	1 U
Ethylbenzene	300	700			300		4 / 140	0.5 U	0.5 U						
Methyl Tert-Butyl Ether (MTBE)	13		5		13		3 / 140	0.5 U	0.5 U						
Methylene Chloride	5	5			4		14 / 140	0.5 U	0.5 U	0.5 U	4.6 J U	2.5	0.31 J U	0.5 U	0.39 J U
Styrene	0.1	0.1					2 / 140	0.5 U	0.5 U						
Tetrachloroethene (PCE)	5	5			0.06		37 / 140	0.5 U	0.5 U	0.5 U	0.5 U	0.32 J	0.38 J	0.37 J	0.5 U
Toluene	150	1,000			150		21 / 140	0.5 U	0.5 U						
1,1,1-Trichloroethane	200	200					7 / 140	0.5 U	0.5 U						
1,1,2-Trichloroethane	5	5					4 / 140	0.5 U	0.5 U						
Trichloroethene (TCE)	5	5			0.8		47 / 140	0.5 U	0.5 U	0.5 U	1.2	1.6	1.6 J	1.6	2.2
1,2,3-Trichloropropane						0.005	2 / 140	0.5 U	0.02 U	0.5 U	0.02 U	0.5 U	0.5 U	0.5 U	0.02 U
1,2,4-Trimethylbenzene						330	5 / 140	0.5 U	0.5 U						
Xylenes, Total	1,750	10,000			1,800		3 / 140	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
<b>Semivolatile Organic Compounds</b>															
Bis(2-ethylhexyl)phthalate	4	6			12		1 / 48	NT	10 U	NT	10 U	NT	NT	NT	10 U
<b>Nitroaromatics and Nitroamines</b>															
1,3-Dinitrobenzene							1 / 48	NT	1.0 U	NT	1.0 U	NT	NT	NT	1.0 U
<b>Nitrosamines</b>															
n-Nitrosodimethylamine (NDMA)						0.01	9 / 48	NT	0.002 U	NT	0.002 U	NT	NT	NT	0.000629 J
n-Nitrosodiphenylamine							42 / 48	NT	0.0058	NT	0.00142 J	NT	NT	NT	0.00264 J

## NOTES:

Units in micrograms per liter ( $\mu\text{g/L}$ ), unless otherwise noted.

Analytes listed in this table have one or more samples with concentrations reported above their quantitation limits.

AL = Action Level (for toxicity)

OEHHA = Office of Environmental Health Hazard Assessment

CA = California

PHG = Public Health Goal (for Drinking Water)

DHS = Department of Health Services

QA = Quality Assurance

MCL = Maximum Contaminant Level

USACE = U.S. Army Corps of Engineers

NT = Not tested

USEPA = U.S. Environmental Protection Agency

(1) CA Primary MCL for total trihalomethanes

(bromodichloromethane, bromoform, dibromochloromethane, and chloroform).

(2) USEPA Primary MCL for total trihalomethanes

(bromodichloromethane, bromoform, dibromochloromethane, and chloroform).

## Data Qualifiers:

J = Analyte positively identified; the reported concentration is approximate.

R = Rejected due to deficiencies in the ability to analyze the sample and/or meet quality control criteria.

U = Analyte not detected above quantitation limit.

UU = Analyte not detected above the quantitation limit, but the reported quantitation limit is approximate.

TABLE ES-3

Analytical Results for Oxidizers (including Perchlorate), Organics, Nitroaromatics and Nitroamines, and Nitrosamines

Parameter	Regulatory Action Levels						Parameter Detection Frequency	Analytical Results							
	CA Primary MCL	USEPA Primary MCL	CA Secondary MCL	USEPA Secondary MCL	CA OEHHA PHG	CA DHS AL		MP-5_02 10/02/2003 Field Duplicate	MP-5_02 01/16/2004 Primary Sample	MP-5_02 04/22/2004 Primary Sample	MP-5_03 10/01/2003 Primary Sample	MP-5_03 10/02/2003 USACE QA Sample	MP-5_03 01/16/2004 Primary Sample	MP-5_03 01/16/2004 USACE QA Sample	MP-5_03 04/22/2004 Primary Sample
<b>Oxidizers</b>															
Chlorate					800	7 / 48	0.1 U	NT	NT	0.1 U	NT	NT	NT	NT	NT
Perchlorate					6	6	111 / 149	2.9 J	2.7 J	2.4 J	7.6	6.2	9.1	8.7	8.9
<b>Volatile Organic Compounds</b>															
Benzene	1	5			0.15		4 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.5 U
Bromoform							5 / 140	1 U	1 U	1 U	1 U	NT	1 U	NT	1 U
Bromochloromethane							2 / 140	0.5 U	0.5 U	0.31 J	0.5 U	NT	0.5 U	NT	0.5 U
Bromodichloromethane	100 <sup>(1)</sup>	80 <sup>(2)</sup>					160	16 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT
Carbon disulfide															
Carbon Tetrachloride	0.5	5			0.1		8 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.33 J
Chloroform	100 <sup>(1)</sup>	80 <sup>(2)</sup>					20 / 140	1.2 U	1.5	1.4 U	1	NT	1.1	NT	1.1 U
Dibromochloromethane	100 <sup>(1)</sup>	80 <sup>(2)</sup>					2 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.5 U
1,1-Dichloroethene	6	7			10		20 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.5 U
1,2-Dichloroethene, cis-	6	70					14 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.5 U
1,2-Dichloroethene, trans-	10	100					3 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.5 U
1,4-Dioxane						3	4 / 48	1 U	NT	NT	1 U	NT	NT	NT	NT
Ethylbenzene	300	700			300		4 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.5 U
Methyl Tert-Butyl Ether (MTBE)	13		5		13		3 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.5 U
Methylene Chloride	5	5			4		14 / 140	0.5 U	0.5 U	0.5 U	19 U	NT	2.2	NT	0.5 U
Styrene	0.1	0.1					2 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.5 U
Tetrachloroethene (PCE)	5	5			0.06		37 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.5 U
Toluene	150	1,000			150		21 / 140	0.5 U	0.5 U	0.5 U	0.27 J	NT	0.5 U	NT	0.5 U
1,1,1-Trichloroethane	200	200					7 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.5 U
1,1,2-Trichloroethane	5	5					4 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.5 U
Trichloroethene (TCE)	5	5			0.8		47 / 140	2.1	2.4	2.5	5.2	NT	13	NT	14
1,2,3-Trichloropropane						0.005	2 / 140	0.02 U	0.5 U	0.5 U	0.02 U	NT	0.5 U	NT	0.5 U
1,2,4-Trimethylbenzene						330	5 / 140	0.5 U	0.5 U	0.5 U	0.5 U	NT	0.5 U	NT	0.5 U
Xylenes, Total	1,750	10,000			1,800		3 / 140	1 U	1 U	1 U	1 U	NT	1 U	NT	1 U
<b>Semivolatile Organic Compounds</b>															
Bis(2-ethylhexyl)phthalate	4	6			12		1 / 48	10 U	NT	NT	10 U	NT	NT	NT	NT
<b>Nitroaromatics and Nitroamines</b>															
1,3-Dinitrobenzene							1 / 48	1.0 U	NT	NT	1.0 U	NT	NT	NT	NT
<b>Nitrosamines</b>															
n-Nitrosodimethylamine (NDMA)					0.01	9 / 48	0.000431 J	NT	NT	0.000553 J	NT	NT	NT	NT	NT
n-Nitrosodiphenylamine						42 / 48	0.00783	NT	NT	0.11	NT	NT	NT	NT	NT

## NOTES:

Units in micrograms per liter ( $\mu\text{g/L}$ ), unless otherwise noted.

Analytes listed in this table have one or more samples with concentrations reported above their quantitation limits.

AL = Action Level (for toxicity)

OEHA = Office of Environmental Health Hazard Assessment

CA = California

PHG = Public Health Goal (for Drinking Water)

DHS = Department of Health Services

QA = Quality Assurance

MCL = Maximum Contaminant Level

USACE = U.S. Army Corps of Engineers

NT = Not tested

USEPA = U.S. Environmental Protection Agency

(1) CA Primary MCL for total trihalomethanes

(bromodichloromethane, bromoform, dibromochloromethane, and chloroform).

(2) USEPA Primary MCL for total trihalomethanes

(bromodichloromethane, bromoform, dibromochloromethane, and chloroform).

## Data Qualifiers:

J = Analyte positively identified; the reported concentration is approximate.

R = Rejected due to deficiencies in the ability to analyze the sample and/or meet quality control criteria.

U = Analyte not detected above quantitation limit.

UU = Analyte not detected above the quantitation limit, but the reported quantitation limit is approximate.

TABLE ES-3

Analytical Results for Oxidizers (including Perchlorate), Organics, Nitroaromatics and Nitroamines, and Nitrosamines

Parameter	Regulatory Action Levels						Parameter Detection Frequency	Analytical Results				
	CA Primary MCL	USEPA Primary MCL	CA Secondary MCL	USEPA Secondary MCL	CA OEHHA PHG	CA DHS AL		MP-5_04 10/01/2003 Primary Sample	MP-5_04 01/16/2004 Primary Sample	MP-5_04 01/16/2004 Field Duplicate	MP-5_04 04/22/2004 Primary Sample	SS-1 02/11/2003 Primary Sample
<b>Oxidizers</b>												
Chlorate					800	7 / 48	0.1 U	NT	NT	NT	0.1 U	
Perchlorate					6	6	111 / 149	11.8	11.9	11.8	11.7	
<b>Volatile Organic Compounds</b>												
Benzene	1	5			0.15		4 / 140	0.5 U	0.5 U	0.5 U	0.5 U	
Bromoform							5 / 140	1 U	1 U	1 U	1 R	
Bromochloromethane							2 / 140	0.5 U	0.5 U	0.5 U	0.5 U	
Bromodichloromethane	100 <sup>(1)</sup>	80 <sup>(2)</sup>					160	16 / 140	0.5 U	0.5 U	0.5 U	
Carbon disulfide												
Carbon Tetrachloride	0.5	5			0.1		8 / 140	0.26 J	0.28 J	0.28 J	0.73	
Chloroform	100 <sup>(1)</sup>	80 <sup>(2)</sup>					20 / 140	0.7	0.79	0.8	0.9 U	
Dibromochloromethane	100 <sup>(1)</sup>	80 <sup>(2)</sup>					2 / 140	0.5 U	0.5 U	0.5 U	0.5 R	
1,1-Dichloroethene	6	7			10		20 / 140	0.5 U	0.5 U	0.5 U	0.5 U	
1,2-Dichloroethene, cis-	6	70					14 / 140	0.5 U	0.5 U	0.5 U	0.5 U	
1,2-Dichloroethene, trans-	10	100					3 / 140	0.5 U	0.5 U	0.5 U	0.5 R	
1,4-Dioxane						3	4 / 48	1 U	NT	NT	0.54 J	
Ethylbenzene	300	700			300		4 / 140	0.5 U	0.5 U	0.5 U	0.5 U	
Methyl Tert-Butyl Ether (MTBE)	13		5		13		3 / 140	0.5 U	0.5 U	0.5 U	0.5 U	
Methylene Chloride	5	5			4		14 / 140	4.7 U	0.5 U	0.5 U	0.5 U	
Styrene	0.1	0.1					2 / 140	0.5 U	0.5 U	0.5 U	0.5 R	
Tetrachloroethene (PCE)	5	5			0.06		37 / 140	0.5 U	0.5 U	0.5 U	0.5 U	
Toluene	150	1,000			150		21 / 140	0.5 U	0.5 U	0.5 U	0.5 U	
1,1,1-Trichloroethane	200	200					7 / 140	0.5 U	0.5 U	0.5 U	0.5 R	
1,1,2-Trichloroethane	5	5					4 / 140	0.5 U	0.5 U	0.5 U	0.5 R	
Trichloroethene (TCE)	5	5			0.8		47 / 140	8.5	12	12	15	
1,2,3-Trichloropropane						0.005	2 / 140	0.02 J	0.5 U	0.02 U	0.5 U	
1,2,4-Trimethylbenzene						330	5 / 140	0.5 U	0.5 U	0.5 U	0.5 R	
Xylenes, Total	1,750	10,000			1,800		3 / 140	1 U	1 U	1 U	1 U	
<b>Semivolatile Organic Compounds</b>												
Bis(2-ethylhexyl)phthalate	4	6			12		1 / 48	10 U	NT	NT	NT	
<b>Nitroaromatics and Nitroamines</b>												
1,3-Dinitrobenzene							1 / 48	1.0 U	NT	NT	1.0 U	
<b>Nitrosamines</b>												
n-Nitrosodimethylamine (NDMA)					0.01	9 / 48	0.00107 J	NT	NT	NT	0.00386	
n-Nitrosodiphenylamine						42 / 48	0.00892	NT	NT	NT	0.119	

## NOTES:

Units in micrograms per liter ( $\mu\text{g/L}$ ), unless otherwise noted.

Analytes listed in this table have one or more samples with concentrations reported above their quantitation limits.

AL = Action Level (for toxicity)

OEHHA = Office of Environmental Health Hazard Assessment

CA = California

PHG = Public Health Goal (for Drinking Water)

DHS = Department of Health Services

QA = Quality Assurance

MCL = Maximum Contaminant Level

USACE = U.S. Army Corps of Engineers

NT = Not tested

USEPA = U.S. Environmental Protection Agency

(1) CA Primary MCL for total trihalomethanes

(bromodichloromethane, bromoform, dibromochloromethane, and chloroform).

(2) USEPA Primary MCL for total trihalomethanes

(bromodichloromethane, bromoform, dibromochloromethane, and chloroform).

## Data Qualifiers:

J = Analyte positively identified; the reported concentration is approximate.

R = Rejected due to deficiencies in the ability to analyze the sample and/or meet quality control criteria.

U = Analyte not detected above quantitation limit.

UU = Analyte not detected above the quantitation limit, but the reported quantitation limit is approximate.