

# DAILY DUST MONITORING REPORT

## EATON TDSR FIRE DEBRIS REMOVAL

### LOS ANGELES COUNTY CALIFORNIA

			EFR TDSR A	EFR TDSR B	EFR TDSR C	EFR TDSR D	Project Target	Action Level	Station Data Summary
3/16/2025	PM 2.5	Avg, ug/M3	4	5	6	n/a	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	6	5	15	n/a	300	150	
3/17/2025	PM 2.5	Avg, ug/M3	8	11	13	n/a	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	13	11	30	n/a	300	150	
3/18/2025	PM 2.5	Avg, ug/M3	3	4	5	n/a	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	5	4	13	n/a	300	150	
3/19/2025	PM 2.5	Avg, ug/M3	1	1	2	n/a	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	2	1	18	n/a	300	150	
3/20/2025	PM 2.5	Avg, ug/M3	4	5	5	n/a	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	6	6	26	n/a	300	150	
3/21/2025	PM 2.5	Avg, ug/M3	3	6	5	n/a	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	6	7	26	n/a	300	150	
3/22/2025	PM 2.5	Avg, ug/M3	7	8	8	n/a	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	9	9	23	n/a	300	150	
3/23/2025	PM 2.5	Avg, ug/M3	12	12	14	n/a	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	13	13	32	n/a	300	150	
3/24/2025	PM 2.5	Avg, ug/M3	2	2	3	n/a	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	3	2	23	n/a	300	150	
3/25/2025	PM 2.5	Avg, ug/M3	15	18	14	n/a	70	35	There were 0 exceedances of the Project Target level for the day.
	PM 10	Avg, ug/M3	16	16	34	n/a	300	150	
3/26/2025	PM 2.5	Avg, ug/M3	26	29	19	n/a	70	35	There were 0 exceedances of the Project Target level for the day.
	PM 10	Avg, ug/M3	26	24	24	n/a	300	150	
3/27/2025	PM 2.5	Avg, ug/M3	14	15	11	n/a	70	35	There were 0 exceedances of the Action level or Project Target level for the day.
	PM 10	Avg, ug/M3	14	12	19	n/a	300	150	
3/28/2025	PM 2.5	Avg, ug/M3	7	8	10	n/a	70	35	There were 0 exceedances of the Action level or Project Target level for the day.
	PM 10	Avg, ug/M3	10	7	20	n/a	300	150	
3/29/2025	PM 2.5	Avg, ug/M3	7	8	9	n/a	70	35	There were 0 exceedances of the Action level or Project Target level for the day.
	PM 10	Avg, ug/M3	10	7	20	n/a	300	150	
3/30/2025	PM 2.5	Avg, ug/M3	10	10	12	n/a	70	35	There were 0 exceedances of the Action level or Project Target level for the day.
	PM 10	Avg, ug/M3	10	10	12	n/a	300	150	
3/31/2025	PM 2.5	Avg, ug/M3	7	7	8	n/a	70	35	There were 0 exceedances of the Action level or Project Target level for the day.
	PM 10	Avg, ug/M3	7	7	9	n/a	300	150	
4/1/2025	PM 2.5	Avg, ug/M3	6	8	7	n/a	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	7	10	7	n/a	300	150	
4/2/2025	PM 2.5	Avg, ug/M3	1	3	3	n/a	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	1	4	3	n/a	300	150	
4/3/2025	PM 2.5	Avg, ug/M3	5	6	7	8	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	7	6	19	21	300	150	
4/4/2025	PM 2.5	Avg, ug/M3	4	4	6	6	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	5	4	16	17	300	150	
4/5/2025	PM 2.5	Avg, ug/M3	2	1	2	2	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	2	2	19	11	300	150	

4/6/2025	PM 2.5	Avg, ug/M3	2	1	3	4	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	3	2	16	21	300	150	
4/7/2025	PM 2.5	Avg, ug/M3	4	3	5	5	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	5	4	26	25	300	150	
4/8/2025	PM 2.5	Avg, ug/M3	7	8	8	10	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	10	8	30	34	300	150	
4/9/2025	PM 2.5	Avg, ug/M3	7	6	8	9	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	9	7	32	37	300	150	
4/10/2025	PM 2.5	Avg, ug/M3	8	8	9	11	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	11	9	32	40	300	150	
4/11/2025	PM 2.5	Avg, ug/M3	7	6	7	9	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	9	7	26	35	300	150	
4/12/2025	PM 2.5	Avg, ug/M3	17	18	14	19	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	19	16	29	37	300	150	
4/13/2025	PM 2.5	Avg, ug/M3	25	27	30	26	70	35	TDSR Sensors A, B, C, and D exited operational alerts around 1200. The final TDSR sensor to exit operational alert was TDSR B, which is consistent with the wind pattern in the afternoon. There were 0 exceedances of the Project Limit level for the day.
	PM 10	Avg, ug/M3	27	22	32	43	300	150	
4/14/2025	PM 2.5	Avg, ug/M3	29	30	23	29	70	35	There were 0 exceedances of the Project Limit level for the day.
	PM 10	Avg, ug/M3	32	26	39	51	300	150	
4/15/2025	PM 2.5	Avg, ug/M3	29	30	24	30	70	35	There were 0 exceedances of the Project Limit level for the day.
	PM 10	Avg, ug/M3	32	25	39	52	300	150	
4/16/2025	PM 2.5	Avg, ug/M3	8	8	9	10	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	10	8	22	25	300	150	
4/17/2025	PM 2.5	Avg, ug/M3	4	4	6	6	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	6	5	18	19	300	150	
4/18/2025	PM 2.5	Avg, ug/M3	7	7	7	9	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	9	7	22	24	300	150	
4/19/2025	PM 2.5	Avg, ug/M3	5	5	6	7	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	7	5	20	20	300	150	
4/20/2025	PM 2.5	Avg, ug/M3	4	5	5	7	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day. There were no operations on Sunday April 20, 2025, so the data included in this report is only from the TDSRs which have dust monitors running 24 hours per day.
	PM 10	Avg, ug/M3	5	5	1	20	300	150	
4/21/2025	PM 2.5	Avg, ug/M3	8	8	9	11	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	10	8	28	32	300	150	
4/22/2025	PM 2.5	Avg, ug/M3	23	26	23	28	70	35	There were 0 exceedances of the Project Limit for the day.
	PM 10	Avg, ug/M3	26	23	42	53	300	150	
4/23/2025	PM 2.5	Avg, ug/M3	16	18	16	20	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	20	16	36	41	300	150	
4/24/2025	PM 2.5	Avg, ug/M3	12	13	13	16	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	15	13	29	35	300	150	
4/25/2025	PM 2.5	Avg, ug/M3	6	6	8	8	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	9	6	37	22	300	150	
4/26/2025	PM 2.5	Avg, ug/M3	2	1	2	3	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	3	1	7	7	300	150	
4/27/2025	PM 2.5	Avg, ug/M3	2	2	3	3	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	2	2	7	8	300	150	
4/28/2025	PM 2.5	Avg, ug/M3	8	8	9	11	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.

4/28/2025	PM 10	Avg, ug/M3	9	8	31	23	300	150	There were 0 exceedances of the Action Level or the Project Limit for the day.
4/29/2025	PM 2.5	Avg, ug/M3	8	7	9	11	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	10	8	21	25	300	150	
4/30/2025	PM 2.5	Avg, ug/M3	27	29	24	29	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	30	25	39	50	300	150	
5/1/2025	PM 2.5	Avg, ug/M3	18	19	15	20	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	20	16	27	44	300	150	
5/2/2025	PM 2.5	Avg, ug/M3	19	22	15	20	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	23	18	27	37	300	150	
5/3/2025	PM 2.5	Avg, ug/M3	26	27	18	23	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	27	22	26	33	300	150	
5/4/2025	PM 2.5	Avg, ug/M3	6	6	8	10	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	7	5	14	19	300	150	
5/5/2025	PM 2.5	Avg, ug/M3	7	7	7	9	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	8	7	17	22	300	150	
5/6/2025	PM 2.5	Avg, ug/M3	8	8	8	11	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	8	7	13	19	300	150	