

DAILY DUST MONITORING R

EATON TDSR FIRE DEBRIS REMOVAL LOS ANGELES COU

			EFR TDSR	EFR TDSR	EFR TDSR C	EFR TDSR D	Project Target	Action Level
3/16/2025	PM 2.5	Avg, ug/M 3	4	5	6	n/a	70	35
	PM 10	Avg, ug/M 3	6	5	15	n/a	300	150
3/17/2025	PM 2.5	Avg, ug/M 3	8	11	13	n/a	70	35
	PM 10	Avg, ug/M 3	13	11	30	n/a	300	150
3/18/2025	PM 2.5	Avg, ug/M 3	3	4	5	n/a	70	35
	PM 10	Avg, ug/M 3	5	4	13	n/a	300	150
3/19/2025	PM 2.5	Avg, ug/M 3	1	1	2	n/a	70	35
	PM 10	Avg, ug/M 3	2	1	18	n/a	300	150
3/20/2025	PM 2.5	Avg, ug/M 3	4	5	5	n/a	70	35
	PM 10	Avg, ug/M 3	6	6	26	n/a	300	150
3/21/2025	PM 2.5	Avg, ug/M 3	3	6	5	n/a	70	35
	PM 10	Avg, ug/M 3	6	7	26	n/a	300	150
3/22/2025	PM 2.5	Avg, ug/M 3	7	8	8	n/a	70	35

	PM 10	Avg, ug/M 3	9	9	23	n/a	300	150
3/23/2025	PM 2.5	Avg, ug/M 3	12	12	14	n/a	70	35
	PM 10	Avg, ug/M 3	13	13	32	n/a	300	150
3/24/2025	PM 2.5	Avg, ug/M 3	2	2	3	n/a	70	35
	PM 10	Avg, ug/M 3	3	2	23	n/a	300	150
3/25/2025	PM 2.5	Avg, ug/M 3	15	18	14	n/a	70	35
	PM 10	Avg, ug/M 3	16	16	34	n/a	300	150
3/26/2025	PM 2.5	Avg, ug/M 3	26	29	19	n/a	70	35
	PM 10	Avg, ug/M 3	26	24	24	n/a	300	150
3/27/2025	PM 2.5	Avg, ug/M 3	14	15	11	n/a	70	35
	PM 10	Avg, ug/M 3	14	12	19	n/a	300	150
3/28/2025	PM 2.5	Avg, ug/M 3	7	8	10	n/a	70	35
	PM 10	Avg, ug/M 3	10	7	20	n/a	300	150
3/29/2025	PM 2.5	Avg, ug/M 3	7	8	9	n/a	70	35
	PM 10	Avg, ug/M 3	10	7	20	n/a	300	150

3/30/2025	PM 2.5	Avg, ug/M 3	10	10	12	n/a	70	35
	PM 10	Avg, ug/M 3	10	10	12	n/a	300	150
3/31/2025	PM 2.5	Avg, ug/M 3	7	7	8	n/a	70	35
	PM 10	Avg, ug/M 3	7	7	9	n/a	300	150
4/1/2025	PM 2.5	Avg, ug/M 3	6	8	7	n/a	70	35
	PM 10	Avg, ug/M 3	7	10	7	n/a	300	150
4/2/2025	PM 2.5	Avg, ug/M 3	1	3	3	n/a	70	35
	PM 10	Avg, ug/M 3	1	4	3	n/a	300	150
4/3/2025	PM 2.5	Avg, ug/M 3	5	6	7	8	70	35
	PM 10	Avg, ug/M 3	7	6	19	21	300	150
4/4/2025	PM 2.5	Avg, ug/M 3	4	4	6	6	70	35
	PM 10	Avg, ug/M 3	5	4	16	17	300	150
4/5/2025	PM 2.5	Avg, ug/M 3	2	1	2	2	70	35
	PM 10	Avg, ug/M 3	2	2	19	11	300	150
4/6/2025	PM 2.5	Avg, ug/M 3	2	1	3	4	70	35

	PM 10	Avg, ug/M 3	3	2	16	21	300	150
4/7/2025	PM 2.5	Avg, ug/M 3	4	3	5	5	70	35
	PM 10	Avg, ug/M 3	5	4	26	25	300	150
4/8/2025	PM 2.5	Avg, ug/M 3	7	8	8	10	70	35
	PM 10	Avg, ug/M 3	10	8	30	34	300	150
4/9/2025	PM 2.5	Avg, ug/M 3	7	6	8	9	70	35
	PM 10	Avg, ug/M 3	9	7	32	37	300	150
4/10/2025	PM 2.5	Avg, ug/M 3	8	8	9	11	70	35
	PM 10	Avg, ug/M 3	11	9	32	40	300	150
4/11/2025	PM 2.5	Avg, ug/M 3	7	6	7	9	70	35
	PM 10	Avg, ug/M 3	9	7	26	35	300	150
4/12/2025	PM 2.5	Avg, ug/M 3	17	18	14	19	70	35
	PM 10	Avg, ug/M 3	19	16	29	37	300	150
4/13/2025	PM 2.5	Avg, ug/M 3	25	27	30	26	70	35
	PM 10	Avg, ug/M 3	27	22	32	43	300	150

4/14/2025	PM 2.5	Avg, ug/M 3	29	30	23	29	70	35
	PM 10	Avg, ug/M 3	32	26	39	51	300	150
4/15/2025	PM 2.5	Avg, ug/M 3	29	30	24	30	70	35
	PM 10	Avg, ug/M 3	32	25	39	52	300	150
4/16/2025	PM 2.5	Avg, ug/M 3	8	8	9	10	70	35
	PM 10	Avg, ug/M 3	10	8	22	25	300	150
4/17/2025	PM 2.5	Avg, ug/M 3	4	4	6	6	70	35
	PM 10	Avg, ug/M 3	6	5	18	19	300	150
4/18/2025	PM 2.5	Avg, ug/M 3	7	7	7	9	70	35
	PM 10	Avg, ug/M 3	9	7	22	24	300	150
4/19/2025	PM 2.5	Avg, ug/M 3	5	5	6	7	70	35
	PM 10	Avg, ug/M 3	7	5	20	20	300	150
4/20/2025	PM 2.5	Avg, ug/M 3	4	5	5	7	70	35
	PM 10	Avg, ug/M 3	5	5	1	20	300	150
4/21/2025	PM 2.5	Avg, ug/M 3	8	8	9	11	70	35

4/21/2025	PM 10	Avg, ug/M 3	10	8	28	32	300	150
4/22/2025	PM 2.5	Avg, ug/M 3	23	26	23	28	70	35
	PM 10	Avg, ug/M 3	26	23	42	53	300	150
4/23/2025	PM 2.5	Avg, ug/M 3	16	18	16	20	70	35
	PM 10	Avg, ug/M 3	20	16	36	41	300	150
4/24/2025	PM 2.5	Avg, ug/M 3	12	13	13	16	70	35
	PM 10	Avg, ug/M 3	15	13	29	35	300	150
4/25/2025	PM 2.5	Avg, ug/M 3	6	6	8	8	70	35
	PM 10	Avg, ug/M 3	9	6	37	22	300	150
4/26/2025	PM 2.5	Avg, ug/M 3	2	1	2	3	70	35
	PM 10	Avg, ug/M 3	3	1	7	7	300	150
4/27/2025	PM 2.5	Avg, ug/M 3	2	2	3	3	70	35
	PM 10	Avg, ug/M 3	2	2	7	8	300	150
4/28/2025	PM 2.5	Avg, ug/M 3	8	8	9	11	70	35
	PM 10	Avg, ug/M 3	9	8	31	23	300	150

4/29/2025	PM 2.5	Avg, ug/M 3	8	7	9	11	70	35
	PM 10	Avg, ug/M 3	10	8	21	25	300	150
4/30/2025	PM 2.5	Avg, ug/M 3	27	29	24	29	70	35
	PM 10	Avg, ug/M 3	30	25	39	50	300	150
5/1/2025	PM 2.5	Avg, ug/M 3	18	19	15	20	70	35
	PM 10	Avg, ug/M 3	20	16	27	44	300	150
5/2/2025	PM 2.5	Avg, ug/M 3	19	22	15	20	70	35
	PM 10	Avg, ug/M 3	23	18	27	37	300	150
5/3/2025	PM 2.5	Avg, ug/M 3	26	27	18	23	70	35
	PM 10	Avg, ug/M 3	27	22	26	33	300	150
5/4/2025	PM 2.5	Avg, ug/M 3	6	6	8	10	70	35
	PM 10	Avg, ug/M 3	7	5	14	19	300	150
5/5/2025	PM 2.5	Avg, ug/M 3	7	7	7	9	70	35
	PM 10	Avg, ug/M 3	8	7	17	22	300	150
5/6/2025	PM 2.5	Avg, ug/M 3	8	8	8	11	70	35

	PM 10	Avg, ug/M 3	8	7	13	19	300	150
5/7/2025	PM 2.5	Avg, ug/M 3	14	15	12	18	70	35
	PM 10	Avg, ug/M 3	16	14	27	33	300	150
5/8/2025	PM 2.5	Avg, ug/M 3	8	8	9	11	70	35
	PM 10	Avg, ug/M 3	11	8	27	32	300	150
5/9/2025	PM 2.5	Avg, ug/M 3	5	4	4	5	70	35
	PM 10	Avg, ug/M 3	7	4	23	23	300	150
5/10/2025	PM 2.5	Avg, ug/M 3	3	2	3	3	70	35
	PM 10	Avg, ug/M 3	4	2	22	20	300	150
5/11/2025	PM 2.5	Avg, ug/M 3	6	5	7	8	70	35
	PM 10	Avg, ug/M 3	8	6	24	35	300	150
5/12/2025	PM 2.5	Avg, ug/M 3	8	12	15	17	70	35
	PM 10	Avg, ug/M 3	16	12	31	71	300	150
5/13/2025	PM 2.5	Avg, ug/M 3	1	4	6	6	70	35
	PM 10	Avg, ug/M 3	6	4	19	20	300	150

5/14/2025	PM 2.5	Avg, ug/M 3	3	6	8	10	70	35
	PM 10	Avg, ug/M 3	10	7	27	31	300	150
5/15/2025	PM 2.5	Avg, ug/M 3	8	12	15	17	70	35
	PM 10	Avg, ug/M 3	16	13	49	43	300	150
5/16/2025	PM 2.5	Avg, ug/M 3	14	17	19	23	70	35
	PM 10	Avg, ug/M 3	21	17	39	51	300	150
5/17/2025	PM 2.5	Avg, ug/M 3	3	7	9	11	70	35
	PM 10	Avg, ug/M 3	8	7	26	23	300	150
5/18/2025	PM 2.5	Avg, ug/M 3	1	7	8	10	70	35
	PM 10	Avg, ug/M 3	9	7	21	23	300	150
5/19/2025	PM 2.5	Avg, ug/M 3	4	9	9	12	70	35
	PM 10	Avg, ug/M 3	11	9	28	42	300	150
5/20/2025	PM 2.5	Avg, ug/M 3	6	10	11	13	70	35
	PM 10	Avg, ug/M 3	12	10	36	39	300	150
5/21/2025	PM 2.5	Avg, ug/M 3	4	7	8	10	70	35

	PM 10	Avg, ug/M 3	9	7	29	32	300	150
5/22/2025	PM 2.5	Avg, ug/M 3	6	12	13	18	70	35
	PM 10	Avg, ug/M 3	14	12	34	44	300	150
5/23/2025	PM 2.5	Avg, ug/M 3	15	24	23	31	70	35
	PM 10	Avg, ug/M 3	26	21	43	60	300	150
5/24/2025	PM 2.5	Avg, ug/M 3	5	11	13	17	70	35
	PM 10	Avg, ug/M 3	14	11	32	38	300	150
5/25/2025	PM 2.5	Avg, ug/M 3	-	-	-	-	70	35
	PM 10	Avg, ug/M 3	-	-	-	-	300	150
5/26/2025	PM 2.5	Avg, ug/M 3	-	-	-	-	70	35
	PM 10	Avg, ug/M 3	-	-	-	-	300	150
5/27/2025	PM 2.5	Avg, ug/M 3	9	15	14	19	70	35
	PM 10	Avg, ug/M 3	17	13	33	42	300	150
5/29/2025	PM 2.5	Avg, ug/M 3	25	24	18	25	70	35
	PM 10	Avg, ug/M 3	25	20	34	45	300	150

5/30/2025	PM 2.5	Avg, ug/M 3	10	11	9	13	70	35
	PM 10	Avg, ug/M 3	13	10	26	32	300	150
5/31/2025	PM 2.5	Avg, ug/M 3	14	19	16	23	70	35
	PM 10	Avg, ug/M 3	19	16	32	44	300	150
6/1/2025	PM 2.5	Avg, ug/M 3	10	9	8	11	70	35
	PM 10	Avg, ug/M 3	10	8	22	24	300	150
6/2/2025	PM 2.5	Avg, ug/M 3	1	6	7	9	70	35
	PM 10	Avg, ug/M 3	8	6	24	23	300	150
6/3/2025	PM 2.5	Avg, ug/M 3	11	20	16	22	70	35
	PM 10	Avg, ug/M 3	21	17	31	37	300	150
6/4/2025	PM 2.5	Avg, ug/M 3	15	21	15	21	70	35
	PM 10	Avg, ug/M 3	21	17	24	31	300	150
6/5/2025	PM 2.5	Avg, ug/M 3	15	23	17	24	70	35
	PM 10	Avg, ug/M 3	23	19	29	42	300	150
6/6/2025	PM 2.5	Avg, ug/M 3	17	26	19	27	70	35

	PM 10	Avg, ug/M 3	25	21	32	40	300	150
6/7/2025	PM 2.5	Avg, ug/M 3	14	22	18	27	70	35
	PM 10	Avg, ug/M 3	23	19	30	43	300	150
6/8/2025	PM 2.5	Avg, ug/M 3	11	23	18	26	70	35
	PM 10	Avg, ug/M 3	22	20	29	38	300	150
6/9/2025	PM 2.5	Avg, ug/M 3	26	38	25	34	70	35
	PM 10	Avg, ug/M 3	35	31	43	52	300	150
6/10/2025	PM 2.5	Avg, ug/M 3	24	36	24	33	70	35
	PM 10	Avg, ug/M 3	35	30	40	52	300	150
6/11/2025	PM 2.5	Avg, ug/M 3	29	43	27	38	70	35
	PM 10	Avg, ug/M 3	40	35	43	56	300	150
6/12/2025	PM 2.5	Avg, ug/M 3	23	35	24	34	70	35
	PM 10	Avg, ug/M 3	33	29	40	53	300	150
6/13/2025	PM 2.5	Avg, ug/M 3	13	25	21	29	70	35
	PM 10	Avg, ug/M 3	24	22	37	51	300	150

REPORT

COUNTY CALIFORNIA

Station Data Summary

There were 0 exceedances of the Action Level or Project Target level for the day.

There were 0 exceedances of the Action Level or Project Target level for the day.

There were 0 exceedances of the Action Level or Project Target level for the day.

There were 0 exceedances of the Action Level or Project Target level for the day.

There were 0 exceedances of the Action Level or Project Target level for the day.

There were 0 exceedances of the Action Level or Project Target level for the day.

There were 0 exceedances of the Action Level or Project Target level for the day.

There were 0 exceedances of the Action Level or Project Target level for the day.
There were 0 exceedances of the Action Level or Project Target level for the day.
There were 0 exceedances of the Project Target level for the day.
There were 0 exceedances of the Project Target level for the day.
There were 0 exceedances of the Action level or Project Target level for the day.
There were 0 exceedances of the Action level or Project Target level for the day.
There were 0 exceedances of the Action level or Project Target level for the day.

There were 0 exceedances of the Action level or Project Target level for the day.

There were 0 exceedances of the Action level or Project Target level for the day.

There were 0 exceedances of the Action level or Project Limit level for the day.

There were 0 exceedances of the Action level or Project Limit level for the day.

There were 0 exceedances of the Action level or Project Limit level for the day.

There were 0 exceedances of the Action level or Project Limit level for the day.

There were 0 exceedances of the Action level or Project Limit level for the day.

There were 0 exceedances of the Action level or Project Limit level for the day.

There were 0 exceedances of the Action level or Project Limit level for the day.
There were 0 exceedances of the Action level or Project Limit level for the day.
There were 0 exceedances of the Action level or Project Limit level for the day.
There were 0 exceedances of the Action level or Project Limit level for the day.
There were 0 exceedances of the Action level or Project Limit level for the day.
There were 0 exceedances of the Action level or Project Limit level for the day.
TDSR Sensors A, B, C, and D exited operational alerts around 1200. The final TDSR sensor to exit operational alert was TDSR B, which is consistent with the wind pattern in the afternoon. There were 0 exceedances of the Project Limit level for the day.

There were 0 exceedances of the Project Limit level for the day.

There were 0 exceedances of the Project Limit level for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.
There were no operations on Sunday April 20, 2025, so the data included in this report is only from the TDSRs which have dust monitors running 24 hours per day.

There were 0 exceedances of the Action Level or the

Project Limit for the day.

There were 0 exceedances of the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.

There were 0 exceedances of the Action Level or the Project Limit for the day.
There were 0 exceedances of the Action Level or the Project Limit for the day.
There were 0 exceedances of the Action Level or the Project Limit for the day.
No operations due to Holiday.
No operations due to Holiday.
There were 0 exceedances of the Action Level or the Project Limit for the day.
There were 0 exceedances of the Action level or the Project Limit for the day.

There were 0 exceedances of the Action level or the Project Limit for the day.

There were 0 exceedances of the Action level or the Project Limit for the day.

There were 0 exceedances of the Action level or the Project Limit for the day.

There were 0 exceedances of the Action level or the Project Limit for the day.

There were 0 exceedances of the Action level or the Project Limit for the day

There were 0 exceedances of the Action level or the Project Limit for the day.

There were 0 exceedances of the Action level or the Project Limit for the day.

There were 0 exceedances of the Action level or the Project Limit for the day.

There were 0 exceedances of the Action level or the Project Limit for the day.
There were 0 exceedances of the Action level or the Project Limit for the day
There were 0 exceedances of the Project Limit for the day
There were 0 exceedances of the Project Limit for the day. EFR TDSR M2, and EFR TDSR B exceeded the Action Level for the day.
There were 0 exceedances of the Project Limit for the day. EFR TDSR M1, EFR TDSR M2 EFR TDSR M3, EFR TDSR B, and EFR TDSR D exceeded the Action Level for the day
There were 0 exceedances of the Project Limit for the day. EFR TDSR M2 exceeded the Action Level for the day
There were 0 exceedances of the Action Level or the Project Limit for the day