

# DAILY SILICA DUST MONITORING REPORT EATON FIRE DEBRIS REMOVAL

DAILY SILICA DUST MONITORING REPORT EATON FIRE DEBRIS REMOVAL		EAF-SI-A	EAF-SI-B	EAF-SI-C	EAF-SI-D	Project Target	Action Level	Station Data Summary
3/23/2025	Avg, ug/M3	ND 7	ND 7.1	ND 7.1	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
3/24/2025	Avg, ug/M3	ND 4.2	ND 4.3	ND 4.2	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
3/25/2025	Avg, ug/M3	ND 4.3	ND 4.2	ND 4.3	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
3/26/2025	Avg, ug/M3	ND 4.6	ND 4.6	ND 4.6	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
3/27/2025	Avg, ug/M3	ND 4.6	ND 4.7	ND 4.6	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
3/28/2025	Avg, ug/M3	ND 5	ND 5.1	ND 5	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
3/29/2025	Avg, ug/M3	ND 3.9	ND 3.8	ND 25	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
3/30/2025	Avg, ug/M3	ND 3.7	ND 3.7	ND 3.7	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
3/31/2025	Avg, ug/M3	ND 3.9	ND 4	ND 4.1	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/1/2025	Avg, ug/M3	ND 3.4	ND 3.4	ND 3.5	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/2/2025	Avg, ug/M3	ND 3.4	ND 3.4	ND 3.4	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/3/2025	Avg, ug/M3	ND 4.2	ND 4.0	ND 4.0	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/4/2025	Avg, ug/M3	ND 3.3	ND 3.4	ND 3.5	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/5/2025	Avg, ug/M3	ND 3.4	ND 3.4	ND 3.4	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/6/2025	Avg, ug/M3	ND 3.7	ND 3.6	ND 3.7	0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/7/2025	Avg, ug/M3	ND 3.7	ND 3.5	ND 3.6	ND 3.7	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/8/2025	Avg, ug/M3	ND 3.5	ND 3.5	ND 3.5	ND 3.5	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/9/2025	Avg, ug/M3	ND 3.4	ND 3.3	ND 3.5	ND 3.5	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/10/2025	Avg, ug/M3	ND 3.8	ND 3.8	ND 3.7	ND 4.0	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/11/2025	Avg, ug/M3	ND 3.9	ND 3.8	ND 4.0	ND 4.1	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/12/2025	Avg, ug/M3	ND 3.7	ND 3.6	ND 3.9	ND 3.7	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.

DAILY SILICA DUST MONITORING REPORT EATON FIRE DEBRIS REMOVAL		EAf-SI-A	EAf-SI-B	EAf-SI-C	EAf-SI-D	Project Target	Action Level	Station Data Summary
4/13/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/14/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/15/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/16/2025	Avg, ug/M3	ND 3.7	ND 3.5	ND 3.6	ND 3.7	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/17/2025	Avg, ug/M3	ND 3.4	ND 3.5	ND 3.4	ND 3.4	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/18/2025	Avg, ug/M3	ND 3.4	ND 3.4	ND 3.4	ND 3.4	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/19/2025	Avg, ug/M3	ND 3.6	ND 3.8	ND 4.5	ND 3.8	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/20/2025	Avg, ug/M3	-	-	-	-	50	25	No TDSR Operations were performed on Sunday, 20-Apr-2025 in observance of the Easter Holiday.
4/21/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/22/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/23/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/24/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/25/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/26/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/27/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/28/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/29/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
4/30/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/1/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/2/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/3/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/4/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/5/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.

DAILY SILICA DUST MONITORING REPORT EATON FIRE DEBRIS REMOVAL		EAF-SI-A	EAF-SI-B	EAF-SI-C	EAF-SI-D	<i>Project Target</i>	<i>Action Level</i>	Station Data Summary
5/6/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/7/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/8/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/9/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/10/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/11/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/12/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/13/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/14/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/15/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/16/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/17/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/18/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/19/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/20/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/21/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/22/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/23/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/24/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/25/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/26/2025	Avg, ug/M3					50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/27/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/28/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.

DAILY SILICA DUST MONITORING REPORT EATON FIRE DEBRIS REMOVAL		EAF-SI-A	EAF-SI-B	EAF-SI-C	EAF-SI-D	Project Target	Action Level	Station Data Summary
5/29/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/30/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
5/31/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/1/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/2/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/3/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/4/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/5/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/6/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/7/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/8/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/9/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/10/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/11/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/12/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/13/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/14/2025	Avg, ug/M3					50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/15/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/16/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/17/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/18/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/19/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/20/2025	Avg, ug/M3	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/21/2025	Avg, ug/M4	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.

DAILY SILICA DUST MONITORING REPORT EATON FIRE DEBRIS REMOVAL		EAf-SI-A	EAf-SI-B	EAf-SI-C	EAf-SI-D	Project Target	Action Level	Station Data Summary
6/22/2025	Avg, ug/M5	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/23/2025	Avg, ug/M6	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/24/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/25/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/26/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/27/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/28/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/29/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
6/30/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
7/1/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
7/2/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
7/3/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
7/4/2025	Avg, ug/M7	-	-	-	-	50	25	No data recorded due to holiday.
7/5/2025	Avg, ug/M7	-	-	-	-	50	25	No data recorded due to holiday.
7/6/2025	Avg, ug/M7	-	-	-	-	50	25	No data recorded due to holiday.
7/7/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
7/8/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
7/9/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
7/10/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
7/11/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
7/12/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
7/13/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
7/14/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.
7/15/2025	Avg, ug/M7	ND	ND	ND	ND	50	25	There were 0 exceedances of the Action Level or Project Limit level for the day.

**No new silica data to report . The last day of silica collection at the TDSR was July 15, 2025. as concrete crushing is no longer performed at the site.**