DAILY DUST MONITORING REPORT EATON FIRE DEBRIS REMOVAL LOS ANGELES COUNTY CALIFORNIA

							1 11	· OL			0 0 1	111	CILL	11 010	1111
			ECC 01	ECC 02	ECC 03	ECC 04	ECC 05	ECC 06	ECC 07	ECC 08	ECC 09	ECC 10	Project Target	Action Level	Station Data Summary
3/16/2025	PM 2.5	Avg, ug/M3	4	10	9	12	6	6	7	6	15	9	70	35	There were 0 exceedances of the Action Level or Project Target level
3,10,2023	PM 10	Avg, ug/M3	4	12	11	12	6	8	8	6	16	10	300	150	for the day.
3/17/2025	PM 2.5	Avg, ug/M3	6	24	16	19	14	17	16	12	22	21	70	35	There were 0 exceedances of the Action Level or Project Target level
	PM 10	Avg, ug/M3	8	20	17	19	15	20	16	12	23	23	300	150	for the day.
3/18/2025	PM 2.5	Avg, ug/M3	2	9	6	8	5	5	7	5	10	7	70	35	There were 0 exceedances of the Action Level or Project Target level
	PM 10	Avg, ug/M3	3	11	6	9	5	6	7	6	10	10	300	150	for the day.
3/19/2025	PM 2.5	Avg, ug/M3	1	7	4	4	1	1	2	3	6	3	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	3	11	5	5	1	3	2	4	6	4	300	150	
3/20/2025	PM 2.5	Avg, ug/M3	5	16	12	16	10	12	12	11	19	15	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
, , ,	PM 10	Avg, ug/M3	7	21	13	18	12	16	12	11	20	18	300	150	
3/21/2025	PM 2.5	Avg, ug/M3	5	15	12	15	7	10	12	10	18	4	70	35	A PM2.5 alert was noted on ECC-09. This was not a crew related incident.
3/21/2023	PM 10	Avg, ug/M3	7	20	14	16	8	12	12	10	18	5	300	150	There were 0 exceedances of the Action Level or Project Target leve for the day.
3/22/2025	PM 2.5	Avg, ug/M3	7	15	14	18	12	15	15	12	22	17	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	11	19	15	19	13	16	16	12	22	19	300	150	
	PM 2.5	Avg, ug/M3	9	22	21	28	18	24	21	17	25	25	70	35	An alert was noted on ECC-06 at 0815. Alert was not crew related. Heavy fog had rolled into the area, causing the DTX to read high. There were 0 exceedances of the Action Level or Project Target level for the day.
3/23/2025	PM 10	Avg, ug/M3	11	25	22	28	18	25	22	18	25	26	300	150	
3/24/2025	PM 2.5	Avg, ug/M3	4	8	6	6	3	6	5	8	15	9	70	35	There were 0 exceedances of the Action Level or Project Target level
3/24/2023	PM 10	Avg, ug/M3	9	14	7	7	4	9	6	9	17	11	300	150	for the day.
	PM 2.5	Avg, ug/M3	10	30	25	29	22	25	25	30	37	30		35	A PM2.5 alert was noted on ECC-09. This was not a crew related incident. There were 0 exceedances of the Action Level or Project Target Information the day. There were 0 exceedances of the Action Level or Project Target Information the day. An alert was noted on ECC-06 at 0815. Alert was not crew related. Heavy fog had rolled into the area, causing the DTX to read high. There were 0 exceedances of the Action Level or Project Target Information the day. There were 0 exceedances of the Action Level or Project Target Information the day. Elevated reading were seen at all locations today due to dusty roal elevated ambient PM2.5 levels. The ambient PM2.5 levels ranged 14.6 to 36 ug/m23 throughout the day. There were 0 exceedances of the Project Target level for the day. All DTX's alerted around 1000 – 1100 am from the deteriorating all
3/25/2025	PM 10	Avg, ug/M3	11	42	26	30	23	28	26	32	40	34	300	150	
	PM 2.5	Avg, ug/M3	15	37	36	42	39	36	47	29	38	37	70	35	All DTX's alerted around 1000 – 1100 am from the deteriorating air quality. There were 0 exceedances of the Project Target level for the
3/26/2025	PM 10	Avg, ug/M3	16	40	36	42	39	36	47	29	38	39	300	150	
	PM 2.5	Avg, ug/M3	11	26	25	28	22	25	27	19	26	28	70	35	ECC-10 and ECC-04 alerted at 1415 and 1430 respectively. Both DTXs
3/27/2025	PM 10	Avg, ug/M3	13	30	26	28	22	26	27	19	26	29	300	150	were situated next to roads and not adjacent to debris crews. There were 0 exceedances of the Action level or Project Target level for the day.
- / /	PM 2.5	Avg, ug/M3	0	13	11	13	9	11	11	10	13	13	70	35	There were 0 exceedances of the Action level or Project Target level
3/28/2025	PM 10	Avg, ug/M3	3	14	11	14	10	12	12	10	13	15	300	150	for the day.

3/29/2025	PM 2.5	Avg, ug/M3	3	10	9	14	8	11	11	6	12	13	70	35	There were 0 exceedances of the Action level or Project Target level
3/23/2023	PM 10	Avg, ug/M3	6	12	9	14	8	14	11	6	13	16	300	150	for the day.
3/30/2025	PM 2.5	Avg, ug/M3	3	12	11	16	11	11	13	8	16	12	70	35	There were 0 exceedances of the Action level or Project Target level
	PM 10	Avg, ug/M3	4	15	12	18	11	12	13	8	16	13	300	150	for the day.
3/31/2025	PM 2.5	Avg, ug/M3	7	9	9	13	8	7	8	5	10	9	70	35	There were 0 exceedances of the Action level or Project Target level
	PM 10	Avg, ug/M3	7	10	9	13	8	7	8	5	10	10	300	150	for the day.
4/1/2025	PM 2.5	Avg, ug/M3	-10	6	5	10	2	2	5	3	6	8	70	35	There were 0 exceedances of the Action level or Project Limit level for
	PM 10	Avg, ug/M3	-8	8	7	11	4	3	5	3	7	10	300	150	the day.
4/2/2025	PM 2.5	Avg, ug/M3	1	2	4	5	0	1	2	1	4	4	70	35	There were 0 exceedances of the Action level or Project Limit level fo
	PM 10	Avg, ug/M3	3	4	5	5	1	2	2	1	5	6	300	150	the day.
4/3/2025	PM 2.5	Avg, ug/M3	2	8	6	12	6	7	8	4	8	11	70	35	There were 0 exceedances of the Action level or Project Limit level fo the day.
	PM 10	Avg, ug/M3	6	10	7	12	7	8	9	5	9	16	300	150	
4/4/2025	PM 2.5	Avg, ug/M3	1	14	9	9	7	10	10	12	13	5	70	35	There were 0 exceedances of the Action level or Project Limit level for
,,,,,	PM 10	Avg, ug/M3	3	21	9	11	8	11	11	14	14	5	300	150	the day.
4/5/2025	PIVI 2.5	Avg, ug/M3	2	5	5	4	0	3	4	3	10	8	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
1,757,2025	PM 10	Avg, ug/M3	5	8	6	5	0	4	5	4	10	9	300	150	
4/6/2025	/6/2025 PM 2.5	Avg, ug/M3	2	3	5	4	1	4	3	5	9	8	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	PM 10	Avg, ug/M3	4	6	6	5	2	6	4	5	10	10	300	150	
4/7/2025	PM 2.5	Avg, ug/M3	3	11	12	11	6	11	8	11	14	12	70	35	There were 0 exceedances of the Action level or Project Limit level for
1,7,72023	PM 10	Avg, ug/M3	5	19	14	12	7	14	8	12	15	14	300	150	the day.
4/8/2025	PM 2.5	Avg, ug/M3	9	20	22	14	23	21	17	15	27	25	70	35	There were 0 exceedances of the Action level or Project Limit level for the day. The ambient AQI was higher than usual which led to multiple
4/0/2023	PM 10	Avg, ug/M3	11	26	23	14	24	23	18	16	29	27	300	150	operational alerts being attributed to the air quality, and not debris removal or street conditions.
4/9/2025	PM 2.5	Avg, ug/M3	6	15	16	18	12	17	15	13	24	23	70	35	There were 0 exceedances of the Action level or Project Limit level for the day.
4/9/2023	PM 10	Avg, ug/M3	10	19	18	19	14	20	16	14	26	25	300	150	
	PM 2.5	Avg, ug/M3	9	19	21	12	19	20	18	16	24	25	70	35	Beginning at 13:00, multiple DTX units began to exceed the OA. Three units were physically checked to confirm that alerts were not caused by operating crews and were likely due to the deteriorating air quality in the area. There were 0 exceedances of the Action level or Project Limit level for the day.
4/10/2025		Avg,													
	PM 10	ug/M3	11	23	22	13	20	22	19	17	24	28	300	150	
4/11/2025	PM 2.5	Avg, ug/M3	3	17	11	14	15	16	14	14	20	28	70	35	Alerts at ECC 10 were due to the DRX having readings that are skewe high. There were 0 exceedances of the Action level or Project Limit level for the day.
	PM 10	Avg, ug/M3	6	22	14	15	16	17	15	15	21	31	300	150	
4/12/2025	PM 2.5	Avg, ug/M3	14	27	23	31	24	29	28	22	35	37	70	35	All operational alerts from today were caused by decreased air quality in the area and the cloud of fog that lingered over the area. There were
	PM 10	Avg, ug/M3	15	30	24	32	26	31	29	23	36	40	300	150	0 exceedances of the Project Limit level for the day. ECC 10 exceeded the PM 2.5 Action Level for today.
	PM 2.5	Avg, ug/M3	26	44	46	47	39	42		30	44	49	70	35	All operational alerts from today were caused by decreased air quality in the area and the cloud of fog that lingered over the area. ECC 07 was
4/13/2025	PM 10	Avg, ug/M3	28	47	47	48	40	43		30	45	53	300	150	not used today due to a broken tripod. There were 0 exceedances of the Project Limit level for the day. ECC 02, ECC 03 ECC 04, ECC 05, ECC06, ECC 09, and ECC 10 exceeded the PM 2.5 Action Level for today.
															■

PM 10	
## A/15/2025 A/15/2025 PM 10	
A/15/2025 PM 10 Avg, ug/M3 43 48 47 48 43 42 52 31 45 49 300 150 This was not a real alert. The unit's battery had died and report repeated data. There were 0 exceedances of the level for the day. ECC 01, ECC 02, ECC 03, ECC 04, ECC 04, ECC 04, ECC 03, ECC 04,	ea. One
4/16/2025 A/16/2025 A/16/2	This was not a real alert. The unit's battery had died and continued to report repeated data. There were 0 exceedances of the Project Limit level for the day. ECC 01, ECC 02, ECC 03 ECC 04, ECC 05, ECC06, ECC 07, ECC 09, and ECC 10 exceeded the PM 2.5 Action Level for today.
PM 10	There were 0 exceedances of the Action limit or the Project Limit for
4/17/2025 PM 1.0	,
PM 10	There were 0 exceedances of the Action limit or the Project Limit for
PM 2.5 Mg/M3 11 8 6 - - 12 14 10 13 19 70 35 the day. ECC 04 and ECC 05 were not deployed today to much-needed maintenance. Multiple PM2.5 operational while using a dust blower on the street and property. PM 2.5 Avg. ug/M3 10 12 3 11 10 10 10 13 22 70 35 PM2.5 operational alert was noted on ECC-04 at the star nearby was not watering while performing debris remove. Crews were directed to water the site, no alerts were no	
PM 10 Avg, ug/M3 13 14 7 13 15 11 14 25 300 150 noted on ECC-10. A private debris crew was working nea while using a dust blower on the street and property. PM 2.5 Avg, ug/M3 10 12 3 11 10 10 10 10 13 22 70 35 PM2.5 operational alert was noted on ECC-04 at the star and property. A/19/2025 Crews were directed to water the site, no alerts were no	There were 0 exceedances of the Action limit or the Project Limit for the day. ECC 04 and ECC 05 were not deployed today to provide some much-needed maintenance. Multiple PM2.5 operational alerts were noted on ECC-01.0. A private debris crew was working nearby the unit while using a dust blower on the street and property.
PM 2.5 Avg, ug/M3 10 12 3 11 10 10 10 10 13 22 70 35 7:30 AM to 7:45 AM. The air monitoring team observed nearby was not watering while performing debris remov Crews were directed to water the site, no alerts were no	
dews were directed to water the site, no diet is were no	hat the crew al activities.
PM 10 Avg, ug/M3 11 17 6 12 11 11 10 10 14 26 300 150 of the day. There were 0 exceedances of the Action lim	of the day. There were 0 exceedances of the Action limit or the
PM 2.5 Avg,	
PM 10 Avg,	
PM 2.5 Avg, ug/M3 16 21 4 20 18 18 21 13 19 23 70 35 PM2.5 alert was noted at ECC-02 at 15:30, AMT respond was an active debris crew working upwind of the station the street. No visible dust was coming from the crew act site seemed sufficiently saturated with water. Upon arrive was passing through and briefly after the ale suspected that dust created by vehicles passing through of the alert. PM2.5 alert was noted at ECC-10 at 15:30, AMT respond was an active debris crew working upwind of the station the street. No visible dust was coming from the crew as site seemed sufficiently saturated with water. Upon arrive was passing through and briefly after the ale suspected that dust created by vehicles passing through of the alert. PM2.5 alert was noted at ECC-10 at 15:30, AMT respond was an active debris crew working upwind of the station the street. No visible dust was coming from the crew active debris crew working upwind of the station the street. No visible dust was coming from the crew active debris crew working upwind of the station the street. No visible dust was coming from the crew active debris crew working directly adjact or the alert. PM2.5 alert was noted at ECC-10 at 15:30, AMT respond was an active debris crew working directly adjact or the alert. Avg. The alert was noted at ECC-10 at 15:30, AMT respond was an active debris crew working directly adjact or the alert. Avg. The alert was noted at ECC-10 at 15:30, AMT respond was an active debris crew working directly adjact or the alert. Avg. The alert was noted at ECC-10 at 15:30, AMT respond to the street working directly adjact or the alert. Avg. The alert was noted at ECC-10 at 15:30, AMT respond to the street working directly adjact or the alert. Avg. The alert was noted at ECC-10 at 15:30, AMT respond to the street working directly adjact or the alert was noted at ECC-10 at 15:30, AMT respond to the street was noted at ECC-10 at 15:30, AMT respond to the street was noted at ECC-10 at 15:30, AMT respond to the street was noted at ECC-10 at 15:30, AM	PM2.5 alert was noted at ECC-02 at 15:30, AMT responded and there was an active debris crew working upwind of the station directly across the street. No visible dust was coming from the crew activities and the site seemed sufficiently saturated with water. Upon arrival at location, a water truck was passing through and briefly after the alert exited. It is suspected that dust created by vehicles passing through was the cause of the alert. PM2.5 alert was noted at ECC-10 at 13:45, AMT responded to alert and upon arrival the crew working directly adjacent to station noted dust coming from vehicles passing site. Crew was not performing any activities that created dust at the time of alert and were preparing
4/21/2025 PM 10 Avg, ug/M3 19 32 6 21 19 19 22 14 20 26 300 4/21/2025 for site walk. A water truck was requested, and it came to dust. PML2.5 alert was noted at ECC-05 at 9:00, AMT respending and upon arrival, an excavator was being mobilized, and sweeper followed the excavator creating dust. Homeow other side of the road were performing yard work as we perform the road were performing yard work as we caused by both activities. Alert at ECC 0 crew related it was requested, and it came to dust. PML2.5 alert was noted at ECC-05 at 9:00, AMT respending and upon arrival, an excavator was being mobilized, and sweeper followed the excavator creating dust. Homeow other side of the road were performing yard work as we requested to be caused by both activities. Alert at ECC 0 crew related it was requested.	oonded to alert a street hers on the I. Alert is 7 was not debris There were 0
PM 2.5 10 /M 2 35 42 4 42 39 40 40 31 45 49 70 35 in the error. There were 0 exceeded a constitution of the Disjoint Lie	All operational alerts from today were caused by decreased air quality in the area. There were 0 exceedances of the Project Limit for the day.
4/22/2025 Ug/MS PM 10 Ug/MS 38 51 12 43 39 43 41 32 47 54 300 150 ECC 01, ECC 02, ECC 04, ECC 05, ECC 05, ECC 07, ECC 09, at exceeded the PM 2.5 Action level for the day.	