

DAILY DUST MONITORING REPORT PALISADES FIRE DEBRIS REMOVAL										
DAILY DUST MONITORING REPORT PALISADES FIRE DEBRIS REMOVAL			TDSR A	TDSR B	TDSR C	Will Rogers Dust 1	Will Rogers Dust 2	Project Target	Action Level	Station Data Summary
3/16/2025	PM 2.5	Avg, ug/M3	19	12	12	--	--	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	42	18	19	--	--	300	150	
3/17/2025	PM 2.5	Avg, ug/M3	18	13	13	--	--	70	35	TDSR-A had multiple operational alerts as a result of being directly downwind of the concrete cutting operations at the TDSR, adding to the already elevated levels of ambient PM 2.5 for the day. The AMT asked the crew to increase water usage.
	PM 10	Avg, ug/M3	43	22	19	--	--	300	150	
3/18/2025	PM 2.5	Avg, ug/M3	13	9	8	--	--	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	31	14	13	--	--	300	150	
3/19/2025	PM 2.5	Avg, ug/M3	11	8	9	--	--	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	27	12	16	--	--	300	150	
3/20/2025	PM 2.5	Avg, ug/M3	13	8	9	--	--	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	33	12	17	--	--	300	150	
3/21/2025	PM 2.5	Avg, ug/M3	14	10	10	--	--	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	33	20	18	--	--	300	150	
3/22/2025	PM 2.5	Avg, ug/M3	16	--	15	--	--	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	36	--	23	--	--	300	150	
3/23/2025	PM 2.5	Avg, ug/M3	19	--	--	--	--	70	35	TDSR B and TDSR C did not transmit data. There were 0 exceedances of the Project Target level for the day.
	PM 10	Avg, ug/M3	43	--	--	--	--	300	150	
3/24/2025	PM 2.5	Avg, ug/M3	15	--	--	--	--	70	35	TDSR B and TDSR C did not transmit data. There were 0 exceedances of the Project Target level for the day.
	PM 10	Avg, ug/M3	37	--	--	--	--	300	150	
3/25/2025	PM 2.5	Avg, ug/M3	12	13	12	--	--	70	35	The ambient PM2.5 levels ranged from 14.6 to 36 ug/m^3 throughout the day. There were 0 exceedances of the Project Target level for the day.
	PM 10	Avg, ug/M3	28	18	14	--	--	300	150	
3/26/2025	PM 2.5	Avg, ug/M3	4	3	3	--	--	70	35	There were 0 exceedances of the Action Level or the Project Target level for the day.
	PM 10	Avg, ug/M3	12	4	6	--	--	300	150	
3/27/2025	PM 2.5	Avg, ug/M3	6	5	3	--	--	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	16	8	7	--	--	300	150	
3/28/2025	PM 2.5	Avg, ug/M3	14	12	12	--	--	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	34	19	20	--	--	300	150	
3/29/2025	PM 2.5	Avg, ug/M3	12	14	11	--	--	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	31	22	18	--	--	300	150	
3/30/2025	PM 2.5	Avg, ug/M3	6	8	5	--	--	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.
	PM 10	Avg, ug/M3	21	11	8	--	--	300	150	
3/31/2025	PM 2.5	Avg, ug/M3	8	8	7	--	--	70	35	There were 0 exceedances of the Action Level or Project Target level for the day.

DAILY DUST MONITORING REPORT PALISADES FIRE DEBRIS REMOVAL			TDSR A	TDSR B	TDSR C	Will Rogers Dust 1	Will Rogers Dust 2	Project Target	Action Level	Station Data Summary
	PM 10	Avg, ug/M3	19	12	8	--	--	300	150	
4/1/2025	PM 2.5	Avg, ug/M3	9	9	9	--	--	70	35	There were 0 exceedances of the Action Level or Project Limit level for the day.
	PM 10	Avg, ug/M3	28	12	16	--	--	300	150	
4/2/2025	PM 2.5	Avg, ug/M3	12	9	11	--	--	70	35	There were 0 exceedances of the Action Level or Project Limit level for the day.
	PM 10	Avg, ug/M3	23	11	18	--	--	300	150	
4/3/2025	PM 2.5	Avg, ug/M3	12	10	10	--	--	70	35	There were 0 exceedances of the Action Level or Project Limit level for the day.
	PM 10	Avg, ug/M3	25	12	15	--	--	300	150	
4/4/2025	PM 2.5	Avg, ug/M3	9	10	8	--	--	70	35	There were 0 exceedances of the Action Level or Project Limit level for the day.
	PM 10	Avg, ug/M3	28	12	13	--	--	300	150	
4/5/2025	PM 2.5	Avg, ug/M3	42	11	14	--	--	70	35	There were 0 exceedances of the Project Limit level for the day. TDSR A exceeded the PM 2.5 Action
	PM 10	Avg, ug/M3	22	8	18	--	--	300	150	
4/6/2025	PM 2.5	Avg, ug/M3	15	9	10	--	--	70	35	There were 0 exceedances of the Project Limit level for the day.
	PM 10	Avg, ug/M3	31	10	15	--	--	300	150	
4/7/2025	PM 2.5	Avg, ug/M3	9	11	11	--	--	70	35	There were 0 exceedances of the Project Limit for the day.
	PM 10	Avg, ug/M3	33	13	17	--	--	300	150	
4/8/2025	PM 2.5	Avg, ug/M3	17	11	12	--	--	70	35	There were 0 exceedances of the Project Limit for the day.
	PM 10	Avg, ug/M3	40	16	20	--	--	300	150	
4/9/2025	PM 2.5	Avg, ug/M3	25	16	20	--	--	70	35	There were 0 exceedances of the Project Limit for the day.
	PM 10	Avg, ug/M3	49	24	30	--	--	300	150	
4/10/2025	PM 2.5	Avg, ug/M3	15	10	11	--	--	70	35	There were 0 exceedances of the Action level or Project Limit for the day.
	PM 10	Avg, ug/M3	28	14	17	--	--	300	150	
4/11/2025	PM 2.5	Avg, ug/M3	17	13	13	--	--	70	35	There were 0 exceedances of the Action level or Project Limit for the day.
	PM 10	Avg, ug/M3	34	20	18	--	--	300	150	
4/12/2025	PM 2.5	Avg, ug/M3	45	40	43	--	--	70	35	There were 0 exceedances of the Project Limit for the day.
	PM 10	Avg, ug/M3	77	58	47	--	--	300	150	
4/13/2025	PM 2.5	Avg, ug/M3	32	30	27	--	--	70	35	There were 0 exceedances of the Project Limit for the day.
	PM 10	Avg, ug/M3	60	44	31	--	--	300	150	
4/14/2025	PM 2.5	Avg, ug/M3	18	20	14	--	--	70	35	There were 0 exceedances of the Action level or Project Limit for the day.
	PM 10	Avg, ug/M3	34	28	19	--	--	300	150	
4/15/2025	PM 2.5	Avg, ug/M3	18	11	11	11	43	70	35	There were 0 exceedances of the Project Limit for the day. Will Rogers Dust 2 Exceeded the Action limit.
	PM 10	Avg, ug/M3	37	15	17	12	48	300	150	
4/16/2025	PM 2.5	Avg, ug/M3	10	12	8	7	37	70	35	There were 0 exceedances of the Project Limit for the day. Will Rogers Dust 2 exceeded the Action level for the day.
	PM 10	Avg, ug/M3	25	17	12	8	41	300	150	

DAILY DUST MONITORING REPORT PALISADES FIRE DEBRIS REMOVAL			TDSR A	TDSR B	TDSR C	Will Rogers Dust 1	Will Rogers Dust 2	Project Target	Action Level	Station Data Summary
4/17/2025	PM 2.5	Avg, ug/M3	6	6	4	4	9	70	35	There were 0 exceedances of the Project Limit for the day.
	PM 10	Avg, ug/M3	26	10	7	5	10	300	150	
4/18/2025	PM 2.5	Avg, ug/M3	7	9	8	8	14	70	35	There were 0 exceedances of the Actin Level or Project Limit for the day.
	PM 10	Avg, ug/M3	23	14	14	9	18	300	150	
4/19/2025	PM 2.5	Avg, ug/M3	12	10	7	10	18	70	35	There were 0 exceedances of the Actin Level or Project Limit for the day.
	PM 10	Avg, ug/M3	37	14	12	12	22	300	150	
4/20/2025	PM 2.5	Avg, ug/M3	6	9	8	14	17	70	35	There were 0 exceedances of the Action Level or Project Limit for the day. There were no operations on Sunday April 20, 2025, so the data included in this report is only from the TDSRs which have dust monitors running 24 hours per day.
	PM 10	Avg, ug/M3	15	11	11	15	17	300	150	
4/21/2025	PM 2.5	Avg, ug/M3	12	12	11	16	20	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	37	18	16	17	22	300	150	
4/22/2025	PM 2.5	Avg, ug/M3	15	14	13	17	19	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	40	18	17	18	22	300	150	
4/23/2025	PM 2.5	Avg, ug/M3	10	10	8	12	11	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	29	15	13	13	14	300	150	
4/24/2025	PM 2.5	Avg, ug/M3	12	11	12	12	9	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	40	17	17	13	11	300	150	
4/25/2025	PM 2.5	Avg, ug/M3	7	8	9	8	6	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	25	12	15	9	9	300	150	
4/26/2025	PM 2.5	Avg, ug/M3	5	5	3	5	3	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	18	8	6	6	5	300	150	
4/27/2025	PM 2.5	Avg, ug/M3	8	6	2	4	2	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	29	9	5	4	3	300	150	
4/28/2025	PM 2.5	Avg, ug/M3	10	11	10	13	8	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	31	15	16	14	10	300	150	
4/29/2025	PM 2.5	Avg, ug/M3	10	12	11	13	9	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	32	18	17	14	10	300	150	
4/30/2025	PM 2.5	Avg, ug/M3	12	13	12	21	15	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	33	19	16	22	16	300	150	
5/1/2025	PM 2.5	Avg, ug/M3	20	13	12	12	18	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	13	20	38	18	15	300	150	
5/2/2025	PM 2.5	Avg, ug/M3	16	10	8	7	16	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	31	14	11	8	21	300	150	
5/3/2025	PM 2.5	Avg, ug/M3	17	10	8	10	13	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.

DAILY DUST MONITORING REPORT PALISADES FIRE DEBRIS REMOVAL			TDSR A	TDSR B	TDSR C	Will Rogers Dust 1	Will Rogers Dust 2	Project Target	Action Level	Station Data Summary
	PM 10	Avg, ug/M3	32	14	10	11	15	300	150	
5/4/2025	PM 2.5	Avg, ug/M3	14	11	11	7	12	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	28	18	16	7	15	300	150	
5/5/2025	PM 2.5	Avg, ug/M3	17	11	11	7	1	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	33	19	17	8	1	300	150	
5/6/2025	PM 2.5	Avg, ug/M3	13	10	9	5	0	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	26	17	14	6	0	300	150	
5/7/2025	PM 2.5	Avg, ug/M3	14	12	10	6	0	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	33	20	17	7	0	300	150	
5/8/2025	PM 2.5	Avg, ug/M3	16	13	13	0	6	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	43	22	21	0	7	300	150	
5/9/2025	PM 2.5	Avg, ug/M3	19	13	14	17		70	35	There were 0 exceedances of the Action Level or Project Limit for the day. Will Rogers Dust 1 was offline today.
	PM 10	Avg, ug/M3	47	18	18	17		300	150	
5/10/2025	PM 2.5	Avg, ug/M3	23	14	14	16	25	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	54	21	221	18	27	300	150	
5/11/2025	PM 2.5	Avg, ug/M3	23	16	18	16	15	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	57	24	26	17	15	300	150	
5/12/2025	PM 2.5	Avg, ug/M3	14	12	11	7	3	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	37	21	18	9	4	300	150	
5/13/2025	PM 2.5	Avg, ug/M3	10	8	7	2	2	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	25	13	12	4	3	300	150	
5/14/2025	PM 2.5	Avg, ug/M3	14	11	10	3	3	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	34	18	17	3	4	300	150	
5/15/2025	PM 2.5	Avg, ug/M3	18	15	14	10	4	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	42	25	21	11	4	300	150	
5/16/2025	PM 2.5	Avg, ug/M3	18	15	14	13	5	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	42	24	19	14	5	300	150	
5/17/2025	PM 2.5	Avg, ug/M3	15	8	8	6	2	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	36	15	12	6	2	300	150	
5/18/2025	PM 2.5	Avg, ug/M3	12	9	8	3	4	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	29	13	14	3	4	300	150	
5/19/2025	PM 2.5	Avg, ug/M3	24	15	14	11	10	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	41	22	20	12	11	300	150	

DAILY DUST MONITORING REPORT PALISADES FIRE DEBRIS REMOVAL			TDSR A	TDSR B	TDSR C	Will Rogers Dust 1	Will Rogers Dust 2	Project Target	Action Level	Station Data Summary
5/20/2025	PM 2.5	Avg, ug/M3	22	16	17	18	17	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	50	24	25	19	18	300	150	
5/21/2025	PM 2.5	Avg, ug/M3	19	13	16	15	17	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	44	22	23	17	17	300	150	
5/22/2025	PM 2.5	Avg, ug/M3	26	23	30	26	17	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	51	32	38	27	18	300	150	
5/23/2025	PM 2.5	Avg, ug/M3	16	15	17	18	11	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	33	25	25	18	11	300	150	
5/24/2025	PM 2.5	Avg, ug/M3	12	10	11	8	3	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	27	17	17	8	3	300	150	
5/25/2025	PM 2.5	Avg, ug/M3	-	-	-	-	-	70	35	No operations due to Holiday.
	PM 10	Avg, ug/M3	-	-	-	-	-	300	150	
5/26/2025	PM 2.5	Avg, ug/M3	-	-	-	-	-	70	35	No operations due to Holiday.
	PM 10	Avg, ug/M3	-	-	-	-	-	300	150	
5/27/2025	PM 2.5	Avg, ug/M3	11	11	11	12	9	70	35	There were 0 exceedances of the Action Level or Project Limit for the day.
	PM 10	Avg, ug/M3	28	18	16	13	9	300	150	
5/29/2025	PM 2.5	Avg, ug/M3	10	9	9	10	7	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	21	12	13	11	7	300	150	
5/30/2025	PM 2.5	Avg, ug/M3	12	8	11	13	15	70	35	There were 0 exceedances of the Action Level or the the Project Limit for the day.
	PM 10	Avg, ug/M3	29	12	18	15	16	300	150	
5/31/2025	PM 2.5	Avg, ug/M3	27	27	32	27	19	70	35	There were 0 exceedances of the Action Level or the the Project Limit for the day.
	PM 10	Avg, ug/M3	45	38	36	27	19	300	150	
6/1/2025	PM 2.5	Avg, ug/M3	18	17	23	18	16	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	33	24	26	19	17	300	150	
6/2/2025	PM 2.5	Avg, ug/M3	12	12	15	14	14	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	26	18	21	15	14	300	150	
6/3/2025	PM 2.5	Avg, ug/M3	7	7	9	5	6	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	21	12	17	5	6	300	150	
6/4/2025	PM 2.5	Avg, ug/M3	7	7	9	6	3	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3	17	12	14	7	3	300	150	
6/5/2025	PM 2.5	Avg, ug/M3	4	5	7	5	5	70	35	There were 0 exceedances of the Action level or the Project Limit for the day.
	PM 10	Avg, ug/M3	14	8	16	6	6	300	150	

DAILY DUST MONITORING REPORT PALISADES FIRE DEBRIS REMOVAL			TDSR A	TDSR B	TDSR C	Will Rogers Dust 1	Will Rogers Dust 2	Project Target	Action Level	Station Data Summary
6/6/2025	PM 2.5	Avg, ug/M3	5	6	9	9	5	70	35	There were 0 exceedances of the Action level or the Project Limit for the day.
	PM 10	Avg, ug/M3	13	10	16	9	5	300	150	
6/7/2025	PM 2.5	Avg, ug/M3	6	8	12	6	4	70	35	There were 0 exceedances of the Action level or the Project Limit for the day.
	PM 10	Avg, ug/M3	18	14	26	7	4	300	150	
6/8/2025	PM 2.5	Avg, ug/M3	5	6	7	11	6	70	35	There were 0 exceedances of the Action level or the Project Limit for the day
	PM 10	Avg, ug/M3	12	9	10	11	6	300	150	
6/9/2025	PM 2.5	Avg, ug/M3	15	13	17	41	23	70	35	There were 0 exceedances of the Project Limit for the day. PRF 02, PRF 03, PFR 04, PFR 05, PFR 06, PFR 08, PFR 10, and Will Rogers Dust 1 exceeded the Action level for the day.
	PM 10	Avg, ug/M3	27	21	20	42	23	300	150	
6/10/2025	PM 2.5	Avg, ug/M3				32	20	70	35	There were 0 exceedances of the Project Limit for the day. PRF 02, PRF 03, PFR 05, and PFR 08 exceeded the Action level for the day
	PM 10	Avg, ug/M3				33	20	300	150	
6/11/2025	PM 2.5	Avg, ug/M3				23	12	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3				23	12	300	150	
6/12/2025	PM 2.5	Avg, ug/M3				23	14	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3				24	15	300	150	
6/13/2025	PM 2.5	Avg, ug/M3				20	13	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3				21	13	300	150	
6/14/2025	PM 2.5	Avg, ug/M3				34	19	70	35	There were 0 exceedances of the Project Limit for the day. PFR 02, PFR 03, PFR 06, PFR 08, PFR 09, and PFR 10
	PM 10	Avg, ug/M3				36	19	300	150	
6/15/2025	PM 2.5	Avg, ug/M3				23	15	70	35	There were 0 exceedances of the Project Limit for the day.
	PM 10	Avg, ug/M3				25	15	300	150	
6/16/2025	PM 2.5	Avg, ug/M3				23	13	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3				25	13	300	150	
6/17/2025	PM 2.5	Avg, ug/M3				18	12	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day
	PM 10	Avg, ug/M3				20	13	300	150	
6/18/2025	PM 2.5	Avg, ug/M3				23	15	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3				23	15	300	150	
6/19/2025	PM 2.5	Avg, ug/M3				20	12	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3				22	12	300	150	
6/20/2025	PM 2.5	Avg, ug/M3				20	13	70	35	There were 0 exceedances of the Action Level or the Project Limit for the day.
	PM 10	Avg, ug/M3				21	13	300	150	
6/21/2025	PM 2.5	Avg, ug/M3				13	1	70	35	There were 0 exceedances of the Project Limit for the day. ECC 08 exceeded the Action Level for the day.
	PM 10	Avg, ug/M3				14	1	300	150	

DAILY DUST MONITORING REPORT PALISADES FIRE DEBRIS REMOVAL			TDSR A	TDSR B	TDSR C	Will Rogers Dust 1	Will Rogers Dust 2	Project Target	Action Level	Station Data Summary
6/22/2025	PM 2.5	Avg, ug/M3				16	12	70	35	There were 0 exceedances of the action level or the Project Limit for the day
	PM 10	Avg, ug/M3				17	12	300	150	
6/23/2025	PM 2.5	Avg, ug/M3				15	10	70	35	There were 0 exceedances of the action level or the Project Limit for the day
	PM 10	Avg, ug/M3				16	10	300	150	
6/24/2025	PM 2.5	Avg, ug/M3				11	8	70	35	There were 0 exceedances of the action level or the Project Limit for the day.
	PM 10	Avg, ug/M3				12	8	300	150	
6/25/2025	PM 2.5	Avg, ug/M3				20	14	70	35	There were 0 exceedances of the action level or the Project Limit for the day.
	PM 10	Avg, ug/M3				21	14	300	150	
6/26/2025	PM 2.5	Avg, ug/M3				33	18	70	35	There were 0 exceedances of the action level or the Project Limit for the day.
	PM 10	Avg, ug/M3				34	18	300	150	