

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): July 24, 2012

B. DISTRICT OFFICE, FILE NAME, AND NUMBER: SPL-2004-010794-BEM (JD-1)

C. PROJECT LOCATION AND BACKGROUND INFORMATION: The project site a metal recycling facility located at the corner of Whittram Avenue and Depot Road in unincorporated San Bernardino County near the City of Fontana. The Facility is located south of I-210, north of I-10, and east of I-15.

State: California County/parish/borough: San Bernardino City: Unincorporated

Center coordinates of site (lat/long in degree decimal format): Lat. 27.005366 °N, Long. 82.176611 °W.

Universal Transverse Mercator:

Name of nearest waterbody: West Fontana Channel

Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Santa Ana River

Name of watershed or Hydrologic Unit Code (HUC): Middle Santa Ana River (10 Digit HUC), East Etiwanda Creek Santa Ana River (12 Digit HUC)

☒ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request (please see attached plans)

☒ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. This form refers to onsite Retention Basin. Information pertaining to the West Fontana Channel can be found on Preliminary Jurisdictional Determination form dated 5 November 2012.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

☒ Office (Desk) Determination. Date: 24 July 2012

☐ Field Determination. Date(s):

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area.

☐ Waters subject to the ebb and flow of the tide.

☐ Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are no** "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area.

1. Waters of the U.S.

a. Indicate presence of waters of U.S. in review area (check all that apply):¹

☐ TNWs, including territorial seas

☐ Wetlands adjacent to TNWs

☐ Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs. West Fontana Channel is an RPW that is located adjacent to the project site; however, no proposed work will occur below the OHWM of the waterway.

☐ Non-RPWs that flow directly or indirectly into TNWs

☐ Wetlands directly abutting RPWs that flow directly or indirectly into TNWs

☐ Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs

☐ Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs

☐ Impoundments of jurisdictional waters

☐ Isolated (interstate or intrastate) waters, including isolated wetlands

b. Identify (estimate) size of waters of the U.S. in the review area:

Non-wetland waters:

Wetlands: acres.

c. Limits (boundaries) of jurisdiction:

Elevation of established OHWM (if known):

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

2. **Non-regulated waters/wetlands (check if applicable):³**



Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not Jurisdictional. Explain: Existing retention pond/basin (1,320 square feet, approx 3-4 feet deep) is dug from uplands and currently collects stormwater runoff until it percolates into the ground. There is no current discharge point from the basin. The applicant is proposing to install a pipe from the basin into the adjacent West Fontana Channel. The pipe will be located landward of the OHWM of the adjacent channel; however an associated riprap and concrete “splash guard” will be installed below the OHWM of the Channel. The preamble to 33 CFR Part 328 states that features excavated from uplands are not considered waters of the United States. Additionally, the unnumbered paragraph immediately following 33 CFR Part 328.3(8) states that waste treatment systems, including treatment ponds or lagoons designed to meet the requirements of CWA (other than cooling ponds as defined in 40 CFR 423.11(m) which also meet the criteria of this definition) are not waters of the United States. The existing retention pond/basin is authorized by NPDES (Section 402 of CWA) permit No. CAG 618001). The proposed fill in West Fontana Channel is addressed in preliminary jurisdictional determination form dated 5 November 2012.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. **TNW**

Identify TNW: .

Summarize rationale supporting determination: .

2. **Wetland adjacent to TNW**

Summarize rationale supporting conclusion that wetland is “adjacent”: .

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are “relatively permanent waters” (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. **Characteristics of non-TNWs that flow directly or indirectly into TNW**

(i) **General Area Conditions:**

Watershed size: **Pick List**

Drainage area: **Pick List**

Average annual rainfall: inches Fontana Average Rainfall, 11 inches

³ Supporting documentation is presented in Section III.F.

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

Average annual snowfall: inches

(ii) **Physical Characteristics:**

(a) Relationship with TNW:

- ☐ Tributary flows directly into TNW.
☐ Tributary flows through **Pick List** tributaries before entering TNW

Project waters are **Pick List** river miles from TNW.
Project waters are **Pick List** river miles from RPW.
Project waters are **Pick List** aerial (straight) miles from TNW.
Project waters are **Pick List** aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: .

Identify flow route to TNW⁵:

Tributary stream order, if known: .

(b) General Tributary Characteristics (check all that apply):

Tributary is: ☐ Natural

☐ Artificial (man-made). Explain: The West Fontana Channel is a man made channel constructed for flood control purposes and is under the jurisdiction of the San Bernardino County Flood Control District.

☐ Manipulated (man-altered). Explain: .

Tributary properties with respect to top of bank (estimate):

Average width:

Average depth: feet

Average side slopes:

Primary tributary substrate composition (check all that apply):

- | | | |
|---|--|-----------------------------------|
| <input type="checkbox"/> Silts | <input type="checkbox"/> Sands | <input type="checkbox"/> Concrete |
| <input type="checkbox"/> Cobbles | <input type="checkbox"/> Gravel | <input type="checkbox"/> Muck |
| <input type="checkbox"/> Bedrock | <input type="checkbox"/> Vegetation. Type/% cover: | |
| <input type="checkbox"/> Other. Explain: . | | |

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: .

Presence of run/riffle/pool complexes. Explain: .

Tributary geometry: **Pick List**

(c) Flow:

Tributary provides for: **Pick List**

Estimate average number of flow events in review area/year: **1**

Describe flow regime: seasonal, heavy rain urban runoff

Other information on duration and volume: fast flowing draining channel.

Surface flow is: **Pick List**. Characteristics: .

Subsurface flow: **Pick List**. Explain findings: .

☐ Dye (or other) test performed: .

Tributary has (check all that apply):

- | | |
|---|---|
| <input type="checkbox"/> Bed and banks | |
| <input type="checkbox"/> OHWM ⁶ (check all indicators that apply): | |
| <input type="checkbox"/> clear, natural line impressed on the bank | <input type="checkbox"/> the presence of litter and debris |
| <input type="checkbox"/> changes in the character of soil | <input type="checkbox"/> destruction of terrestrial vegetation |
| <input type="checkbox"/> shelving | <input type="checkbox"/> the presence of wrack line |
| <input type="checkbox"/> vegetation matted down, bent, or absent | <input type="checkbox"/> sediment sorting |
| <input type="checkbox"/> leaf litter disturbed or washed away | <input type="checkbox"/> scour |
| <input type="checkbox"/> sediment deposition | <input type="checkbox"/> multiple observed or predicted flow events |
| <input type="checkbox"/> water staining | <input type="checkbox"/> abrupt change in plant community |

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

⁶ A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

- ☐ other (list):
☐ Discontinuous OHWM.⁷ Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

- | | |
|--|--|
| <input checked="" type="checkbox"/> High Tide Line indicated by: | <input checked="" type="checkbox"/> Mean High Water Mark indicated by: |
| <input type="checkbox"/> oil or scum line along shore objects | <input type="checkbox"/> survey to available datum; |
| <input type="checkbox"/> fine shell or debris deposits (foreshore) | <input type="checkbox"/> physical markings; |
| <input type="checkbox"/> physical markings/characteristics | <input type="checkbox"/> vegetation lines/changes in vegetation types. |
| <input type="checkbox"/> tidal gauges | |
| <input type="checkbox"/> other (list): | |

(iii) Chemical Characteristics:

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).

Explain: .

Identify specific pollutants, if known: .

(iv) Biological Characteristics. Channel supports (check all that apply):

- ☐ Riparian corridor. Characteristics (type, average width): .
- ☐ Wetland fringe. Characteristics: .
- ☐ Habitat for:
- ☐ Federally Listed species. Explain findings: .
 - ☐ Fish/spawn areas. Explain findings: .
 - ☐ Other environmentally-sensitive species. Explain findings: .
 - ☐ Aquatic/wildlife diversity. Explain findings: .

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:

Properties:

Wetland size: acres

Wetland type. Explain: .

Wetland quality. Explain: .

Project wetlands cross or serve as state boundaries. Explain: .

(b) General Flow Relationship with Non-TNW:

Flow is: **Pick List**. Explain: .

Surface flow is: **Pick List**

Characteristics: .

Subsurface flow: **Pick List**. Explain findings: .

☐ Dye (or other) test performed: .

(c) Wetland Adjacency Determination with Non-TNW:

- ☐ Directly abutting
- ☐ Not directly abutting
- ☐ Discrete wetland hydrologic connection. Explain: .
 - ☐ Ecological connection. Explain: .
 - ☐ Separated by berm/barrier. Explain: .

(d) Proximity (Relationship) to TNW

Project wetlands are **Pick List** river miles from TNW.

Project waters are **Pick List** aerial (straight) miles from TNW.

Flow is from: **Pick List**.

Estimate approximate location of wetland as within the **Pick List** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: .

Identify specific pollutants, if known: .

(iii) Biological Characteristics. Wetland supports (check all that apply):

- ☐ Riparian buffer. Characteristics (type, average width): .

⁷Ibid.

- ☐ Vegetation type/percent cover. Explain: .
- ☐ Habitat for:
- ☐ Federally Listed species. Explain findings: .
- ☐ Fish/spawn areas. Explain findings: .
- ☐ Other environmentally-sensitive species. Explain findings: .
- ☐ Aquatic/wildlife diversity. Explain findings: .

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **Pick List**

Approximately () acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N) Size (in acres) Directly abuts? (Y/N) Size (in acres)

Summarize overall biological, chemical and physical functions being performed: .

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: .
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

- 1. TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:

- ☐ TNWs: linear feet width (ft), Or, acres.
- ☐ Wetlands adjacent to TNWs: acres.

- 2. RPWs that flow directly or indirectly into TNWs.**

- ☐ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: .
- ☐ Tributaries of TNW where tributaries have continuous flow “seasonally” (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: .

Provide estimates for jurisdictional waters in the review area (check all that apply):

- ☐ Tributary waters: average width (ft) of
- ☐ Other non-wetland waters: acres.
- Identify type(s) of waters: .

3. Non-RPWs⁸ that flow directly or indirectly into TNWs.

- ☐ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):

- ☐ Tributary waters: linear feet width (ft).
- ☐ Other non-wetland waters: acres.
- Identify type(s) of waters: .

4. Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.

- ☐ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.
- ☐ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .
- ☐ Wetlands directly abutting an RPW where tributaries typically flow “seasonally.” Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.

- ☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.

- ☐ Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. Impoundments of jurisdictional waters.⁹

As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.

- ☐ Demonstrate that impoundment was created from “waters of the U.S.,” or
- ☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
- ☐ Demonstrate that water is isolated with a nexus to commerce (see E below).

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):¹⁰

- ☐ which are or could be used by interstate or foreign travelers for recreational or other purposes.

⁸See Footnote # 3.

⁹To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

¹⁰Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

- ☐ from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
- ☐ which are or could be used for industrial purposes by industries in interstate commerce.
- ☐ Interstate isolated waters. Explain: .
- ☐ Other factors. Explain: .

Identify water body and summarize rationale supporting determination: .

Provide estimates for jurisdictional waters in the review area (check all that apply):

- ☐ Tributary waters: linear feet width (ft).
- ☐ Other non-wetland waters: acres.
- Identify type(s) of waters: .
- ☐ Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

- ☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
- ☐ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
 - ☐ Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
- ☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: .
- ☒ **Other: (explain, if not covered above):** The existing retention pond/basin was excavated from uplands and is used to collect stormwater runoff and does not drain wetlands or any other water of the US. There is currently no drainage from the basin. The applicant is proposing to install a pipe from the basin into the adjacent channel. The pipe will be located landward of the OHWM of the adjacent West Fontana channel. The preamble to 33 CFR Part 328 states that features excavated from uplands are not considered waters of the United States. Additionally, the unnumbered paragraph immediately following 33 CFR Part 328.3(8) states that waste treatment systems Waste treatment systems, including treatment ponds or lagoons designed to meet the requirements of CWA (other than cooling ponds as defined in 40 CFR 423.11(m) which also meet the criteria of this definition) are not waters of the United States. . The existing retention pond/basin is authorized by NPDES (Section 402 of CWA) permit No. CAG 618001). The proposed fill in West Fontana Channel is addressed in preliminary jurisdictional determination form dated 5 November 2012.

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):

- ☐ Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
- ☐ Lakes/ponds: acres.
- ☐ Other non-wetland waters:
- ☐ Wetlands:

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):

- ☐ Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
- ☐ Lakes/ponds: acres.
- ☐ Other non-wetland waters: acres. List type of aquatic resource: .
- ☐ Wetlands: acres.


SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):

- ☒ Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: .
- ☒ Data sheets prepared/submitted by or on behalf of the applicant/consultant.
 - ☐ Office concurs with data sheets/delineation report.
 - ☐ Office does not concur with data sheets/delineation report.
- ☐ Data sheets prepared by the Corps: .
- ☐ Corps navigable waters' study: .
- ☐ U.S. Geological Survey Hydrologic Atlas: .
 - ☐ USGS NHD data.
 - ☐ USGS 8 and 12 digit HUC maps.
- ☐ U.S. Geological Survey map(s). Cite scale & quad name: .
- ☐ USDA Natural Resources Conservation Service Soil Survey. Citation: .
- ☐ National wetlands inventory map(s). Cite name: .
- ☐ State/Local wetland inventory map(s): .

- ☐ FEMA/FIRM maps: .
- ☐ 100-year Floodplain Elevation is: (National Geodetic Vertical Datum of 1929)
- ☒ Photographs: ☒ Aerial (Name & Date): Google Earth.
Or ☒ Other (Name & Date): site photos provided by applicant
- ☐ Previous determination(s). File no. and date of response letter: .
- ☐ Applicable/supporting case law: .
- ☐ Applicable/supporting scientific literature: .
- ☒ Other information (please specify): **JD Delineation Report submitted by Lillburn Corporation.**

B. ADDITIONAL COMMENTS TO SUPPORT JD: N/A



Regional Vicinity

Advanced Steel Recovery Stormwater Discharge Improvements

Figure 1





Project Location

Advanced Steel Recovery Stormwater Discharge Improvements

Figure 2





Project Impact Area

Jurisdictional Delineation
Advanced Steel Recovery, LLC.
Fontana, California

Figure 5


Legend




Project Site



Permanent impacts from placement of
outlet structure-0.002 Acres





West Fontana Channel

San Sevaine Channel

Santa Ana River

Source: USGS
Source: NASA, NGA, USGS
© 2008 Microsoft Corp.


5.0mi

esri®



SAN BERNARDINO COUNTY FLOOD CONTROL DISTRICT
24" RCP SIDE DRAIN CONNECTION DETAILS
APN 0230-132-16, 14451 WHITTRAM AVENUE, FONTANA, CA 92355

DRAIN GATE DETAIL
WATERMAN C-9 SLIDE CONTROL DRAIN GATE
(N.T.S.)



DIMENSIONS FOR C-9 AND AC-9

SIZE	A"	B"	C	D	E	F	G	H	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
8	7 1/4	9	1	4 1/4	3 1/4	10	4	15 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
10	9 1/4	11	1	5 1/4	3 1/4	10	4	16 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
12	11 1/4	13	1	6 1/4	3 1/4	10	4	17 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
14	13 1/4	15	1	7 1/4	3 1/4	10	4	18 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
15	14 1/4	16	1	8 1/4	3 1/4	10	4	19 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
16	15 1/4	17	1	9 1/4	3 1/4	10	4	20 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
18	17 1/4	19	1	10 1/4	3 1/4	10	4	21 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
20	19 1/4	21	1	11 1/4	3 1/4	10	4	22 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
21	20 1/4	22	1	12 1/4	3 1/4	10	4	23 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
24	23 1/4	25	1	15 1/4	3 1/4	10	4	26 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
30	29 1/4	31	1	19 1/4	3 1/4	10	4	30 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4

GATE DIMENSIONS IN INCHES

SIZE	A"	B"	C	D	E	F	G	H	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
8	7 1/4	9	1	4 1/4	3 1/4	10	4	15 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
10	9 1/4	11	1	5 1/4	3 1/4	10	4	16 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
12	11 1/4	13	1	6 1/4	3 1/4	10	4	17 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
14	13 1/4	15	1	7 1/4	3 1/4	10	4	18 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
15	14 1/4	16	1	8 1/4	3 1/4	10	4	19 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
16	15 1/4	17	1	9 1/4	3 1/4	10	4	20 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
18	17 1/4	19	1	10 1/4	3 1/4	10	4	21 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
20	19 1/4	21	1	11 1/4	3 1/4	10	4	22 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
21	20 1/4	22	1	12 1/4	3 1/4	10	4	23 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
24	23 1/4	25	1	15 1/4	3 1/4	10	4	26 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4
30	29 1/4	31	1	19 1/4	3 1/4	10	4	30 1/4	11	7 1/4	4	7 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4	9 1/4	4


PARTS LIST

No.	Name
1	FRAME
2	COVER
3	STEM
4	HEADRAL
5	HEADRAL HOVR
6	LIFT
7	LIFT HOVR
8	SPRIGOT
9	STEM BOLT


FOR 24" RCP

STA. 26+10
PER S.B.C.F.C.D.
P.S. REF. F01452
(SEE SHEET 4)
H.G.L. = 60.20


DETAIL "A"
24" RCP CONNECTOR TO WEST FONTANA CHANNEL
PER S.B.C.F.C.D. FILE NO. S.P. 183-A
(SCALE: 1" = 4')




SIGN DETAIL
PER S.B.C.F.C.D. FILE NO. S.P. 199, STD. "FC5"
(N.T.S.)




TREATMENT SYSTEM SCHEMATIC
N.T.S.



SECTION B-B
REINFORCED CONCRETE SLAB ON SLOPE
PER S.B.C.F.C.D. FILE NO. S.P. 183-A
(N.T.S.)



SECTION A-A
24" RCP CONNECTOR TO WEST FONTANA CHANNEL
PER S.B.C.F.C.D. FILE NO. S.P. 183-A
(SCALE: 1" = 4')



CONSTRUCTION NOTES		
No.	DESCRIPTION	QUANTITY
1	CONSTRUCT 24" R.C.P. PER SBFCFD FILE NO. S.P. 183-A, C=6, D=LOAD=MIN. FOR DIRECT H2O LIVE LOAD PERPENDICULAR TO PIPE (SEE DETAILS SHEET 2).	34.18 L.F.
2	INSTALL WATERMAN C-9 SLIDE CONTROL DRAIN GATE (SEE DETAIL SHEET 2).	1 EA
3	INSTALL 8" STUB OUT FOR TREATMENT SYSTEM HOSE CONNECTION (SEE DETAIL SHEET 2).	1 EA
4	CONSTRUCT 4' CUTOFF WALL ALL AROUND BANK PROTECTION (SEE DETAILS SHEET 2).	1 EA
5	CONSTRUCT 12" NOMINAL ROCKS IN CLASS "B" CONCRETE SPLASH PAD (SEE DETAILS SHEET 2).	1 EA
7	REMOVE SECTION OF EXISTING METAL FENCE FOR TRENCH. REPLACE FOLLOWING BACKFILL.	-

PRELIMINARY

Underground Service Alert
Call: TOLL FREE
1-800-227-2600
DIAL BEFORE
YOU DIG
TWO WORKING DAYS BEFORE YOU DIG
A PUBLIC SERVICE BY UNDERGROUND SERVICE ALERT

BENCHMARK:
CHISELED BOX AT THE NORTHEAST CURB RETURN
OF WHITTRAM AVENUE AND ALMOND AVENUE.
ELEVATION = 1167.23

PREPARED FOR:
ADVANCED STEEL RECOVERY
NATHAN FRANKEL, PRESIDENT
P.O. BOX 3793
RANCHO CUCAMONGA, CA 91729
NOTE:
WORK CONTAINED WITHIN THESE PLANS SHALL
NOT COMMENCE UNTIL AN ENCROACHMENT PERMIT
AND/OR A GRADING PERMIT HAS BEEN ISSUED

ENGINEER'S SEAL
JOSEPH E. BONADIMAN
No. C-30238
Exp. 3-31-12
CIVIL
STATE OF CALIFORNIA

JOSEPH E. BONADIMAN & ASSOCIATES INC.
consulting engineers land surveyors
234 N. ARROWHEAD AVE., SAN BERNARDINO, CA 92408
Phone: (909)885-3806 - Fax: (909)381-1721
SCALE:
AS NOTED
DATE:
07-06-11

REVISIONS			
MARK:	BY:	DESCRIPTION:	APPROVED:

APPROVED 2011
FLOOD CONTROL ENGINEER
REGISTERED CIVIL ENGINEER NO.
DRAWN BY: J.D.N.
CHECKED BY: J.C.B.
RECOMMENDED BY:

SAN BERNARDINO COUNTY
FLOOD CONTROL DISTRICT
OPERATIONS DIVISION - PERMIT SECTION
24" RCP SIDE DRAIN CONNECTION PLAN
FOR
APN 0230-132-16
14451 WHITTRAM AVENUE, FONTANA, CA 92355
FOR SBFCFD USE ONLY: FILE NO.

DRAWING NO.
XXXX
SHEET 2 **OF** 3
SHEETS

Impacts to Waters of the U.S.
(shown in red)

