APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SE	SCTION 1: BACKGROUND INFORMATION	
A.	REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): May 2	012

B. DISTRICT OFFICE, FILE NAME, AND NUMBER: Los Angeles District, I-710 Corridor Project, SPL-2008-00934 C. PROJECT LOCATION AND BACKGROUND INFORMATION: Drainage 6 (Compton Creek) State: CA County/parish/borough: Los Angeles City: Center coordinates of site (lat/long in degree decimal format): Lat. N 33.8450° Long. W -118.2070° Universal Transverse Mercator: Name of nearest waterbody: Los Angeles River Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Los Angeles River Name of watershed or Hydrologic Unit Code (HUC): Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: April 2, 2012 Field Determination. Date(s): **SECTION II: SUMMARY OF FINDINGS** A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain: . B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands

b. Identify (estimate) size of waters of the U.S. in the review area:

Non-wetland waters: 1,500 linear feet: 125 width (ft) and/or 0.56 acres.

Wetlands: 2.54 acres.

c. Limits (boundaries) of jurisdiction based on: Established by OHWM.

Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable):³

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: .

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

TNW

Identify TNW: .

Summarize rationale supporting determination: .

Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent": .

CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under Rapanos have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: Pick List Drainage area: **Pick List** Average annual rainfall: inches Average annual snowfall: 0 inches

(ii) Physical Characteristics:

Relationship with TNW:

Tributary flows directly into TNW.

Tributary flows through **Pick List** tributaries before entering TNW.

Project waters are **Pick List** river miles from TNW. Project waters are **Pick List** river miles from RPW.

Project waters are **Pick List** aerial (straight) miles from TNW.

Project waters are **Pick List** aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain: .

Identify flow route to TNW5: .

Tributary stream order, if known: .

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

	(b)	General Tributary	Characteristics (check all that apply	<u>/):</u>			
		Tributary is:	Natural Artificial (man made) Evalui				
			☐ Artificial (man-made). Explai☐ Manipulated (man-altered). E		n:		
			ivianipulated (man-altered). L	лріш		•	
		Average width		mate)	:		
		Average depth Average side					
		Primary tributary s Silts Cobbles Bedrock Other. Exp	ubstrate composition (check all tha Sands Gravel Vegetation. Type/%			☐ Concrete ☐ Muck	
		Presence of run/rif Tributary geometry	n/stability [e.g., highly eroding, slow fle/pool complexes. Explain: . y: Pick List (approximate average slope): %	ughin	g banks].	Explain: .	
	(c)	Describe flow	umber of flow events in review are	a/yea	r: Pick Li	ist	
		Surface flow is: Pi	ck List. Characteristics: .				
			Pick List . Explain findings: . her) test performed: .				
		clear, chang shelvi vegeta leaf li sedim water other	anks (check all indicators that apply): natural line impressed on the bank es in the character of soil ng ation matted down, bent, or absent tter disturbed or washed away ent deposition staining		destruction the present sediment scour multiple	ence of litter and debris on of terrestrial vegetation ence of wrack line t sorting observed or predicted flow events hange in plant community	
		☐ High Tid ☐ oil or ☐ fine sl	e Line indicated by: scum line along shore objects hell or debris deposits (foreshore) cal markings/characteristics gauges	Mea	n High W urvey to a physical m	nt of CWA jurisdiction (check all that apply): Vater Mark indicated by: available datum; narkings; a lines/changes in vegetation types.	
(iii)	Cha	emical Characterist tracterize tributary (or Explain: ntify specific polluta	e.g., water color is clear, discolored	, oily	film; wat	ter quality; general watershed characteristics, e	tc.)

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

(iv)	Bio	logical Characteristics. Channel supports (check all that apply):
		Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for:
	ш	Federally Listed species. Explain findings: .
		Fish/spawn areas. Explain findings: .
		Other environmentally-sensitive species. Explain findings: .
		Aquatic/wildlife diversity. Explain findings: .
Cha	aract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
(i)	Phy	vsical Characteristics:
	(a)	General Wetland Characteristics:
		Properties: Wetland size: acres
		Wetland type. Explain: .
		Wetland quality. Explain: Wetland quality. Explain:
		Project wetlands cross or serve as state boundaries. Explain: .
	(b)	General Flow Relationship with Non-TNW:
		Flow is: Pick List. Explain: .
		Surface flow is: Pick List
		Characteristics: .
		Subsurface flow: Pick List. Explain findings: .
		Dye (or other) test performed: .
	, ,	
	(c)	Wetland Adjacency Determination with Non-TNW: Directly abutting
		☐ Not directly abutting
		Discrete wetland hydrologic connection. Explain: .
		Ecological connection. Explain: .
		Separated by berm/barrier. Explain: .
	(d)	Proximity (Relationship) to TNW
		Project wetlands are Pick List river miles from TNW.
		Project waters are Pick List aerial (straight) miles from TNW. Flow is from: Pick List.
		Estimate approximate location of wetland as within the Pick List floodplain.
		25000000 approximate rectains as walling the 2000 and 2000 appearance
(ii)		emical Characteristics:
	Cna	aracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed
	Ido	characteristics; etc.). Explain: httify specific pollutants, if known: .
	Iuci	nary specific ponutants, it known.
(iii) Bio	logical Characteristics. Wetland supports (check all that apply):
		Riparian buffer. Characteristics (type, average width):
		Vegetation type/percent cover. Explain: .
	Ш	Habitat for:
		Federally Listed species. Explain findings: . Fish/spawn areas. Explain findings: .
		Other environmentally-sensitive species. Explain findings: .
		Aquatic/wildlife diversity. Explain findings: .
Ch	arant	eristics of all wetlands adjacent to the tributary (if any)
CII		wetland(s) being considered in the cumulative analysis: Pick List
		proximately () acres in total are being considered in the cumulative analysis.

2.

3.

Directly abuts? (Y/N) Size (in acres) Directly abuts? (Y/N) Size (in acres)

Summarize overall biological, chemical and physical functions being performed: .

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: ☐ TNWs: linear feet width (ft), Or, acres. ☐ Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that

Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Comptom Creek is 8.5 miles long and drains a relatively flat, highly urbanized area within its approximately 22.6 square mile watershed. Much of its surrounding landscape is residential and industrial, with few pervious areas. The creek maintains a base flow almost year round, primarily consisting of "nuisance waters", that is, untreated surface runoff. According to information from UC Berkley, about 70% of the area surrounding Compton

	Creek is residential and the remaining 30% is primarily industrial. The creek is highly impacted by urbanization and channelization. It functions as a storm water conveyance system for flood control purposes. The upstream 6.5 miles are rectangular, concrete channels and the downstream 2 miles are trapezoidal with riprap sideslopes and an earthern bottom. The concrete channels range from 40-60 feet in width with design capacities ranging from 3,900 cfs to 9,000 cfs. The natural bottom section of Compton Creek is approximately 180 feet wide with a design capacity ranging from 10,900 cfs to 13,750 cfs. Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
Noi	n-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
Pro	vide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
We ⊠	tlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. ✓ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: An approximate 2.54-acre wetland complex occurs within the Compton Creek channel below the OHWM. Refer to figures (aerial photographs) in the May 2012 Final JD Report for the general location and wetland boundaries.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
Pro	vide acreage estimates for jurisdictional wetlands in the review area: acres.
We	tlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
Pro	vide acreage estimates for jurisdictional wetlands in the review area: acres.
We	tlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
Pro	vide estimates for jurisdictional wetlands in the review area: acres.
	poundments of jurisdictional waters. ⁹ a general rule, the impoundment of a jurisdictional tributary remains jurisdictional

3.

4.

5.

6.

7.

 $^{^8} See$ Footnote # 3. 9 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

	Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below).
Е.	ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination: .
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: . Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above): .
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
SE	CTION IV: DATA SOURCES.
A.	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked
	and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Project maps, May 2012. Data sheets prepared/submitted by or on behalf of the applicant/consultant. Office concurs with data sheets/delineation report. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: . Corps navigable waters' study: . U.S. Geological Survey Hydrologic Atlas: . USGS NHD data.

 $^{^{10}}$ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA $\it Memorandum~Regarding~CWA~Act~Jurisdiction~Following~Rapanos$.

	USGS 8 and 12 digit HUC maps.
\boxtimes	U.S. Geological Survey map(s). Cite scale & quad name: 7.5', Long Beach, California.
\boxtimes	USDA Natural Resources Conservation Service Soil Survey. Citation: USDA 1969 Report and General Soil Map,
Los	s Angeles County, USDA, SCS.
	National wetlands inventory map(s). Cite name: .
	State/Local wetland inventory map(s): . FEMA/FIRM maps: . 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
	FEMA/FIRM maps: .
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
\boxtimes	Photographs: Aerial (Name & Date): Digital Globe, 2008.
	or Other (Name & Date): .
	Previous determination(s). File no. and date of response letter: .
	Applicable/supporting case law: .
	Applicable/supporting scientific literature: .
\boxtimes	Other information (please specify): Jurisdictional Delineation Report Interstate 710 Corridor Project, May
201	12 (LSA Associates). Other information and reference materials include:

- Final Report, Los Angeles River Watershed Management Area Plan (Weston Solutions, Inc., August 2005):
- "Grounds for Renewal: The Revitalilzation of Compton Creek", Prepard for Santa Monica Mountains Conservy by University of California, Berkley (Zack D. Freedman, 2003);
- Los Angeles County Department of Pulbic Works, 2009-2010 and 2005-2006 Hydrologic Reports, Runoff--Daily Dishcarges for site F37B Comptom Creek near Greenleaf Drive; and
- Modeling Analysis for the Development of TMDLs for Metals in the Los Angeles River and Tributaries, dated July 2004..
- B. ADDITIONAL COMMENTS TO SUPPORT JD: Within the review area, Compton Creek is a trapezoidal channel with an earthen bottom and concrete and grouted riprap banks. The channel flows directly into the Los Angeles River south of Del Amo Boulevard. An OHWM was determined based on evidence of concrete staining. Compton Creek supports riparian vegetation and perennial flows at all portions within the review area. Six wetland sample pits were conducted in three areas within Compton Creek to determine the extent of jurisdictional wetlands within the channel (refer to wetland data sheets in the May 2012 JD Report). Indicators of hydrophytic vegetation, hydric soils, and wetland hydrology were present and observed at all three areas. Vegetation within the drainage is cleared annually for flood control purposes, but the cleared condition is not considered the normal condition within the creek. Compton Creek is a RPW that flows directly into a TNW and therefore is a jurisdictional water of the U.S.